

2012 HOSPITAL INPATIENT DISCHARGE DATA

**Health Systems Epidemiology Program
Epidemiology and Response Division
New Mexico Department of Health
Revised March 2014**

The New Mexico Department of Health

Secretary of Health

Retta Ward, MPH

Deputy Secretary

Lynn Gallagher

State Epidemiologist

Michael Landen, MD MPH

ACKNOWLEDGEMENTS

The 2012 Hospital Inpatient Discharge Data report was produced by the New Mexico Department of Health (NMDOH) Epidemiology and Response Division. The NMDOH would like to specifically thank Sandeep Patel with the Information Technology Services Division of DOH for the collection and reporting of the 2012 hospital inpatient discharge data.

Hospital Inpatient Discharge Data Report Team Members

Department of Health: Nicole Katz, Abubakar Ropri, Michael Landen, Sandeep Patel, Gabriel Worley, and Brian Woods.

Sources of Data

New Mexico Hospital Inpatient Discharge Data: All New Mexico general and specialty hospitals are required to report hospital inpatient discharge data quarterly to the NMDOH. The NMDOH maintains the Hospital Inpatient Discharge Database (HIDD). The 2012 New Mexico data presented in this report was generated from the HIDD.

United States Hospital Inpatient Discharge Data: U.S. data used for comparison with New Mexico data was provided by the National Center for Health Statistics' National Health Statistics Reports. The report presents the most current nationally representative data on inpatient care, excluding newborns, in the U.S. Data are from the 2010 National Hospital Discharge Survey, the longest continuously running nationally representative survey of hospital utilization.

State Population Estimates: State population estimates used for the denominator in hospitalization discharge rates were generated by the NM Population Estimates, Geospatial and Population Studies (GPS) Program, University of New Mexico. The GPS evaluates all input data and employs a housing unit-based methodology, validated by building permits and birth/death records. Population denominators for 2012 were used. Rates were age-adjusted to the 2000 U.S. standard population, when indicated.

Definitions: Definitions for diagnoses and procedures presented in this report may be found at <http://icd9.chrisendres.com>.

Revision of 2012 Hospital Inpatient Discharge Data Report

This is a revised version of the 2012 HIDD Report published in January 2014. Exclusion criteria were revised slightly resulting in minimal changes to the data.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
NEW MEXICO HEALTH AND HUMAN SERVICES REGIONS	3
NEW MEXICO HOSPITALS REPORTING HOSPITAL INPATIENT DISCHARGE DATA IN 2012.....	4
OVERALL HOSPITAL INPATIENT DISCHARGES	5
Percent Distribution of Hospital Inpatient Discharges by Average Length of Stay and Age	5
Number, Rate, and Average Length of Stay for Discharges by Age, Region and Gender	6
Hospital Inpatient Discharge Rates by Age and Gender	7
Hospital Inpatient Discharges by Category of First-listed Diagnosis and Age	8
Hospital Inpatient Discharges by Category of First-listed Diagnosis and Gender.....	9
Hospital Inpatient Discharges by Category of First-listed Diagnosis and Region	10
NM and U.S. Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis	11
Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis and Age.....	12
Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis and Gender	13
Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis and Region.....	14

APPENDIX TABLES

Appendix Table 1: Number of Discharges by First-listed Diagnosis and Age, New Mexico, 2012 – Expanded Listing	
Appendix Table 2: Number of Discharges by First-listed Diagnosis and Gender, New Mexico, 2012 –Expanded Listing	
Appendix Table 3: Number of Discharges by First-listed Diagnosis and Region, New Mexico, 2012 – Expanded Listing	
Appendix Table 4: Rate of Discharges by First-listed Diagnosis, New Mexico (2012) and U.S. (2010) – Expanded Listing	
Appendix Table 5: Rate of Discharges by First-listed Diagnosis and Age, New Mexico, 2012 – Expanded Listing	
Appendix Table 6: Rate of Discharges by First-listed Diagnosis and Gender, New Mexico, 2012 – Expanded Listing	

Appendix Table 7: Rate of Discharges by First-listed Diagnosis and Region, New Mexico, 2012 –
Expanded Listing

Appendix Table 8: Average Length of Stay by First-listed Diagnosis and Age, New Mexico, 2012 –
Expanded Listing

Appendix Table 9: Average Length of Stay by First-listed Diagnosis and Gender, New Mexico, 2012
– Expanded Listing

Appendix Table 10: Average Length of Stay by First-listed Diagnosis and Region, New Mexico, 2012
– Expanded Listing

EXECUTIVE SUMMARY

The New Mexico Health Information System (HIS) was established in 1989 pursuant to the Health Information System Act, Section 24-14A-1 through Section 24-14A-10 NMSA 1978. The NMDOH is charged with creating rule regarding the collection, use and reporting of these data (NMAC 7.1.27). The rule relates to several specific areas, including specific information to be reported by state licensed general and specialty hospitals, the data access policy and public reporting requirements.

The NMDOH maintains the Hospital Inpatient Discharge Database (HIDD). This report is based on data generated from the HIDD. The hospital inpatient diagnoses contained in the database were coded using the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM). General and specialty hospitals in the state are required to report hospital inpatient discharge data quarterly to the NMDOH. Federal facilities are not required to report HIDD data to the NMDOH. Therefore, data from Indian Health Service (IHS) facilities and the Veterans Affairs (VA) Hospital are not included. However, the NMDOH is exploring ways to access IHS and VA Hospital data.

An inpatient discharge occurs when a patient is admitted overnight to a hospital and leaves that hospital. Thus, an individual who is transferred from hospital A to hospital B would be included in the discharges from hospital A with a second discharge from hospital B.

This report presents overall New Mexico hospital inpatient discharge numbers, rates, and average lengths of stay by age, gender and region. In 2012, 37 general and 13 specialty hospitals reported hospital inpatient discharge data to the NMDOH. These 50 non-federal hospitals reported a total of 161,711 discharges for New Mexico residents. Duplicate records and records with out-of-state or unknown zip codes, unknown age, unknown gender, unknown or invalid primary diagnosis codes and discharges that were not inpatient discharges were excluded from this count. Discharges of newborns were also excluded to be consistent with federal reporting standards.

Of the 161,711 reported discharges, approximately 60 percent were among females and 40 percent were among males. Thirty-five percent of all discharges occurred among residents over the age of 65 years. The highest discharge rate by region was 832.9 discharges per 10,000 population in the Southeast region, and the lowest rates were in the Southwest region, reporting 721.6 discharges per 10,000 population.

Disclaimer


This report is intended to be a reference document for researchers and planners and does not include interpretation or hypotheses. Although data is verified with the submitting hospital, all data and information presented in this report are as submitted by reporting hospitals to the NMDOH. The original data is the responsibility of the submitting hospital.

Several records were excluded from the data reported in this report. As indicated in the table below, duplicate records and records with out-of-state or unknown zip codes, unknown age, unknown gender, unknown or invalid primary diagnosis codes and discharges that were not inpatient discharges or discharges from specialty hospitals were excluded. Discharges of newborns were excluded to be consistent with federal reporting standards.

Excluded Records 2012 HIDD	
Total Records Collected	228,699
Specialty Hospital Discharges	5,931
Duplicates	3,330
Not Inpatient	26,549
Unknown Gender	9
Unknown Age	0
Invalid Diagnosis Code (Primary Diagnosis = 000.8)	29
Unknown Primary Diagnosis	536
Newborns	24,221
Out-of-State or Unknown Zip Codes	6,383
Remaining Records used in 2012 HIDD Reporting	161,711

NEW MEXICO HEALTH REGIONS

The data in this report is presented by age, gender, and New Mexico Health Regions in 2012. Below is a map of the Health Regions.



NEW MEXICO HOSPITALS REPORTING HOSPITAL INPATIENT DISCHARGE DATA IN 2012

General Hospitals	Specialty Hospitals
Advanced Care Hospital of Southern NM	AMG Specialty Hospital-Albuquerque
Alta Vista Regional Hospital	Healthsouth Rehabilitation Hospital
Artesia General Hospital	Kindred Hospital Albuquerque
Carlsbad Medical Center	NM Behavioral Health Institute
CHRISTUS St. Vincent Regional Medical	NM Rehabilitation Center
Cibola General Hospital	Peak Behavioral Health Services
Dr. Dan C Trigg Memorial Hospital	San Juan Regional Rehabilitation Hospital
Eastern NM Medical Center	Turquoise Lodge
Gerald Champion Regional Medical Center	UNM Children's Psychiatric Center
Gila Regional Medical Center	UNM Psychiatric Center
Guadalupe County Hospital	Mesilla Valley Hospital
Holy Cross Hospital	Lovelace Rehabilitation Hospital
Lea Regional Hospital	Rehabilitation Hospital of Southern NM
Lincoln County Medical Center	
Los Alamos Medical Center	
Lovelace Medical Center/Heart Hospital of NM	
Lovelace Regional Hospital-Roswell	
Lovelace Westside Hospital	
Lovelace Women's Hospital	
Memorial Medical Center	
Mimbres Memorial Hospital	
Miners' Colfax Medical Center	
Mountain View Regional Medical Center	
Nor-Lea General Hospital	
Plains Regional Medical Center - Clovis	
Presbyterian Hospital	
Presbyterian Espanola Hospital	
Presbyterian Kaseman Hospital	
Presbyterian Rio Rancho Emergency Center	
Rehoboth McKinley Christian Health	
Roosevelt General Hospital	
San Juan Regional Medical Center	
Sierra Vista Hospital	
Socorro General Hospital	
Union County General Hospital	
UNM Hospital	
UNM Sandoval Regional Medical Center	


OVERALL HOSPITAL INPATIENT DISCHARGES

This section provides hospital inpatient discharge numbers, rates, and average lengths of stay by age, gender and region for New Mexico in 2012. Included in this section are a series of tables by first-listed diagnosis and a series of tables by all-listed procedures. The first-listed diagnosis refers to a mention of a specific disease or injury ICD-9-CM code in the first of 18 diagnostic fields of a patient's medical record or the first recorded final diagnosis on a patient's medical record.

Percent Distribution of Hospital Inpatient Discharges by Average Length of Stay and Age

The percent distributions of hospital inpatient discharges by average length of stay and age for New Mexico in 2012 are provided in Figure 1:

- 67.7 percent of patients less than 15 years of age, 75.0 percent of patients 15-44 years of age, 56.7 percent of patients 45-64 years of age, and 52.1 percent of patients 65 and older were hospitalized for three days or less;
- 20.6 percent of patients less than 15 years of age, 17.9 percent of patients 15-44 years of age, 28.2 percent of patients 45-64 years of age, and 31.5 percent of patients 65 and older were hospitalized for four to seven days;
- 6.7 percent of patients less than 15 years of age, 4.5 percent of patients 15-44 years of age, 10.4 percent of patients 45-64 years of age, and 11.6 percent of patients 65 and older were hospitalized for eight to 14 days; and
- 5.0 percent of patients less than 15 years of age, 2.6 percent of patients 15-44 years of age, 4.7 percent of patients 45-64 years of age, and 4.8 percent of patients 65 and older were hospitalized for 15 days or more.



Number, Rate, and Average Length of Stay for Discharges by Age, Region and Gender

161,711 inpatients were discharged from non-federal general and specialty hospitals in New Mexico in 2012 and are described in Table 1.

- Approximately 60 percent were female and 40 percent were male;
- Six percent of people hospitalized were less than 15 years of age, 33 percent were 15-44 years of age, 26 percent were 45-64 years of age, and 35 percent were 65 and older;
- Among males, those greater than 45 years of age had the longest average length of stay (5.1 days), and among females, those greater than 65 years of age had the longest average length of stay (4.9 days);
- The highest discharge rate by region was 832.9 discharges per 10,000 population in the Southeast Region while the lowest rates were in the Metro (715.6 discharges per 10,000 population).
- The average length of stay ranged from 3.9 days in the Southeast Region to 4.7 days in the Metro Region.

Table 1: Number, Rate and Average Length of Stay for Hospital Inpatient Discharges by Age, Region and Gender, New Mexico, 2012

Number of Discharges by Age Group	Total	Males	Females
All Ages	161,711	64,819	96,892
< 15	10,562	5,686	4,876
15-44	53,511	13,272	40,239
45-64	41,721	20,936	20,785
65+	55,917	24,925	30,992
Number of Discharges by All Regions	Total	Males	Females
Northwest	17,573	7,564	10,009
Northeast	24,599	10,571	14,028
Metro	66,132	25,787	40,345
Southeast	24,518	9,224	15,294
Southwest	28,889	11,673	17,216
Rates of Discharge by Age Group	Total	Males	Females
All Ages	773.2	627.6	915.2
< 15	244.6	258.6	230.1
15-44	658.2	321.9	1,004.4
45-64	753.5	779.3	729.2
65+	1,908.4	1,890.0	1,923.5
Rates of Discharge by Region	Total	Males	Females
All Regions	748.8	622.6	881.2
Northwest	797.0	733.0	870.5
Northeast	776.2	666.0	901.3
Metro	715.6	589.8	842.9
Southeast	832.9	644.3	1,035.9
Southwest	721.6	589.3	859.2
Average Length of Stay by Age Group	Total	Males	Females
All Ages	4.4	5.0	4.1
< 15	4.6	4.6	4.5
15-44	3.5	4.9	3.0
45-64	4.9	5.1	4.7
65+	5.0	5.1	4.9
Average Length of Stay by Region	Total	Males	Females
All Regions	4.4	5.0	4.1
Northwest	4.6	5.1	4.3
Northeast	4.2	4.6	4.0
Metro	4.7	5.4	4.3
Southeast	3.9	4.4	3.6
Southwest	4.3	4.9	3.9


Notes: Except for age-specific rates, all rates are age-adjusted to the 2000 U.S. standard population. Rates are per 10,000 population.

Hospital Inpatient Discharge Rates by Age and Gender

As shown in Figure 2 below:

- The total hospital inpatient discharge rate per 10,000 population was 773.2 for New Mexico in 2011 and 1,139.6 for the U.S. in 2010;
- The discharge rate was lower for both males (627.6) and females (915.2) in New Mexico than males (936.2) and females (1,337.1) in the U.S; and
- The largest age-specific difference occurred among those 65 years and older. The New Mexico rate was 1,908.4 while the U.S. rate was 3,352.6.

Figure 2: Hospital Inpatient Discharge Rates by Age and Gender, New Mexico (2012) and United States (2010)



Note: Except for age-specific rates, all New Mexico rates are age-adjusted to the 2000 U.S. standard population.

Discharges by Category of First-listed Diagnosis and Age

The top three reasons for hospitalization among all age groups in New Mexico in 2012 were Diseases of the Circulatory System (20,116), Diseases of the Digestive System (18,960), and Diseases of Respiratory System (15,583) (Table 2). The top three reasons for hospitalization by age group were as follows:

- For inpatients less than 15 years of age, Diseases of the Respiratory System (3,580), Diseases of the Digestive System (1,033), and Injury and Poisoning (870);
- For inpatients 15-44 years of age, Supplementary Classifications (22,823), Diseases of the Digestive System (5,152) and Mental Disorders (4,857);
- For inpatients 45-64 years of age, Diseases of the Digestive System (6,454), Diseases of the Circulatory System (6,134) and Injury and Poisoning (3,965); and
- For inpatients 65 years and older, Diseases of the Circulatory System (12,515), Diseases of the Respiratory System (6,869), and Diseases of the Digestive System (6,321).

Table 2: Number of Hospital Inpatient Discharges by Category of First-listed Diagnosis and Age, New Mexico, 2012

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NM Total	< 15 Years	15 - 44 Years	45 - 64 Years	65 + Years
Infectious and Parasitic Diseases	001-139	8,683	401	1,514	2,777	3,991
Neoplasms	140-239	5,978	118	881	2,420	2,559
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	6,050	475	1,631	1,902	2,042
Diseases of the Blood and Blood-Forming Organs	280-289	1,478	159	261	421	637
Mental Disorders	290-319	9,611	574	4,857	2,966	1,214
Diseases of the Nervous System and Sense Organs	320-389	3,142	400	845	919	978
Diseases of the Circulatory System	390-459	20,116	78	1,389	6,134	12,515
Diseases of the Respiratory System	460-519	15,583	3,580	1,436	3,698	6,869
Diseases of the Digestive System	520-579	18,960	1,033	5,152	6,454	6,321
Diseases of the Genitourinary System	580-629	8,554	392	2,126	2,354	3,682
Complications of Pregnancy, Childbirth, and Puerperium	630-677	3,698	11	3,681	6	
Diseases of the Skin and Subcutaneous Tissue	680-709	3,630	332	1,120	1,216	962
Diseases of the Musculoskeletal System and Connective Tissue	710-739	9,484	116	930	3,773	4,665
Congenital Anomalies	740-759	642	385	99	97	61
Certain Conditions Originating in the Perinatal Period	760-779	847	847	0	0	0
Symptoms, Signs, and Ill-Defined Conditions	780-799	5,629	472	916	1,846	2,395
Injury and Poisoning	800-999	14,201	870	3,846	3,965	5,520
Supplementary Classifications	V01-V84	25,396	318	22,823	770	1,485

Hospital Inpatient Discharges by Category of First-listed Diagnosis and Gender

The top five reasons for hospitalization by category of first-listed diagnosis for males in New Mexico in 2012 were Diseases of the Circulatory System (10,862), Diseases of the Digestive System (9,045), Diseases of the Respiratory System (7,715), Injury and Poisoning (6,936), and Mental Disorders (4,973), (Table 3).

The top five reasons for hospitalization by category of first-listed diagnosis for females were Supplementary Classifications (24,058), Diseases of the Digestive System (9,915), Diseases of the Circulatory System (9,254), Diseases of Respiratory System (7,868) and Injury and Poisoning (7,265).

Table 3: Number of Hospital Inpatient Discharges by Category of First-listed Diagnosis and Gender, New Mexico, 2012

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NM Total	Males	Females
Infectious and Parasitic Diseases	001-139	8,683	4,242	4,441
Neoplasms	140-239	5,978	2,453	3,525
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	6,050	2,953	3,097
Diseases of the Blood and Blood-Forming Organs	280-289	1,478	630	848
Mental Disorders	290-319	9,611	4,973	4,638
Diseases of the Nervous System and Sense Organs	320-389	3,142	1,428	1,714
Diseases of the Circulatory System	390-459	20,116	10,862	9,254
Diseases of the Respiratory System	460-519	15,583	7,715	7,868
Diseases of the Digestive System	520-579	18,960	9,045	9,915
Diseases of the Genitourinary System	580-629	8,554	2,835	5,719
Complications of Pregnancy, Childbirth, and Puerperium	630-677	3,698	0	3,698
Diseases of the Skin and Subcutaneous Tissue	680-709	3,630	1,947	1,683
Diseases of the Musculoskeletal System and Connective Tissue	710-739	9,484	4,185	5,299
Congenital Anomalies	740-759	642	318	324
Certain Conditions Originating in the Perinatal Period	760-779	847	477	370
Symptoms, Signs, and Ill-Defined Conditions	780-799	5,629	2,465	3,164
Injury and Poisoning	800-999	14,201	6,936	7,265
Supplementary Classifications	V01-V84	25,396	1,338	24,058

Hospital Inpatient Discharges by Category of First-listed Diagnosis and Region

The top three reasons for hospitalization by category of first-listed diagnosis by region in New Mexico in 2012 (Table 4) were as follows:

- Northwest Region - Supplementary Classifications (2,415), Diseases of the Digestive System (2,202), and Diseases of the Circulatory System (2,190);
- Northeast Region – Supplementary Classifications (3,352), Diseases of the Digestive System (3,140), and Diseases of the Circulatory System (2,858);
- Metro Region – Supplementary Classifications (11,021), Diseases of the Circulatory System (8,234), and Diseases of the Digestive System (7,555);
- Southeast Region – Supplementary Classifications (4,306), Diseases of the Respiratory System (3,048), and Diseases of the Digestive System (2,664);
- Southwest Region– Supplementary Classifications (4,302), Diseases of the Circulatory System (4,269), and Diseases of the Digestive System (3,399);

Table 4: Number of Hospital Inpatient Discharges by Category of First-listed Diagnosis and Region, New Mexico, 2012

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NM Total	NW Region	NE Region	Metro Region	SE Region	SW Region
Infectious and Parasitic Diseases	001-139	8,683	932	1,225	3,665	1,392	1,469
Neoplasms	140-239	5,978	534	961	2,772	637	1,074
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	6,050	741	853	2,177	1,062	1,217
Diseases of the Blood and Blood-Forming Organs	280-289	1,478	173	210	546	230	319
Mental Disorders	290-319	9,611	1,200	1,191	3,647	2,029	1,544
Diseases of the Nervous System and Sense Organs	320-389	3,142	311	447	1,353	379	652
Diseases of the Circulatory System	390-459	20,116	2,190	2,858	8,234	2,565	4,269
Diseases of the Respiratory System	460-519	15,583	1,851	2,369	5,394	3,048	2,921
Diseases of the Digestive System	520-579	18,960	2,202	3,140	7,555	2,664	3,399
Diseases of the Genitourinary System	580-629	8,554	785	1,390	3,056	1,596	1,727
Complications of Pregnancy, Childbirth, and Puerperium	630-677	3,698	349	432	1,819	556	542
Diseases of the Skin and Subcutaneous Tissue	680-709	3,630	385	629	1,366	614	636
Diseases of the Musculoskeletal System and Connective Tissue	710-739	9,484	834	1,726	4,487	976	1,461
Congenital Anomalies	740-759	642	87	104	314	46	91
Certain Conditions Originating in the Perinatal Period	760-779	847	184	164	290	115	94
Symptoms, Signs, and Ill-Defined Conditions	780-799	5,629	742	1,041	2,101	747	998
Injury and Poisoning	800-999	14,201	1,658	2,506	6,309	1,554	2,174
Supplementary Classifications	V01-V84	25,396	2,415	3,352	11,021	4,306	4,302

NM and U.S. Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis

Hospital inpatient discharge rates by category of first-listed diagnosis for New Mexico in 2012 and the U.S. in 2010 are provided in Table 5. Data highlights include the following:

- The first-listed diagnosis category with the highest rate in New Mexico was Supplementary Classifications at 126.5 per 10,000 population while the U.S. rate for the same diagnosis was 164.1;
- The first-listed diagnosis category with the highest rate in the U.S. was Diseases of the Circulatory System at 196.0 while the New Mexico rate for the same diagnosis was 87.8;
- While most U.S. rates were higher than New Mexico rates, New Mexico's rate for Complications of Pregnancy, Childbirth and Puerperium was higher than the U.S. rate (NM rate 19.0, U.S. rate 16.6) as was the New Mexico rate for Symptoms, Signs, and Ill Defined Conditions (NM rate 25.4, US rate 6.3).

Table 5: Hospital Inpatient Discharge Rates per 10,000 Population by Category of First-listed Diagnosis, New Mexico, 2012 and United States, 2010

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rate per 10,000	
		NM Rate	U.S. Rate
Infectious and Parasitic Diseases	001-139	39.2	40.0
Neoplasms	140-239	26.4	53.2
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	60.4
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	17.5
Mental Disorders	290-319	46.9	79.4
Diseases of the Nervous System and Sense Organs	320-389	14.6	26.4
Diseases of the Circulatory System	390-459	87.8	196.0
Diseases of the Respiratory System	460-519	70.3	109.8
Diseases of the Digestive System	520-579	87.5	109.5
Diseases of the Genitourinary System	580-629	40.0	69.6
Complications of Pregnancy, Childbirth, and Puerperium	630-677	19.0	16.6
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	25.0
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	62.6
Congenital Anomalies	740-759	3.0	6.2
Certain Conditions Originating in the Perinatal Period	760-779	4.0	5.7
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	6.3
Injury and Poisoning	800-999	65.8	95.0
Supplementary Classifications	V01-V84	126.5	164.1

Note: New Mexico rates are age-adjusted to the 2000 U.S. standard population.

*Figure does not meet standards of reliability or precision

Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis and Age

The highest discharge rates per 10,000 population by category of first-listed diagnosis and age group for New Mexico in 2012 (Table 6) were as follows:

- For inpatients less than 15 years of age, Diseases of the Respiratory System (82.9), Diseases of the Digestive System (23.9) and Injury and Poisoning (20.2);
- For inpatients 15-44 years of age, Supplementary Classifications (280.8), Diseases of the Digestive System (63.4) and Mental Disorders (59.8);
- For inpatients 45-64 years of age, Diseases of the Digestive System (116.6), Diseases of the Circulatory System (110.8) and Injury and Poisoning (71.6); and
- For inpatients 65 years and older, Diseases of the Circulatory System (427.1), Diseases of the Respiratory System (234.4) and Diseases of the Digestive System (215.7).

Table 6: Hospital Inpatient Discharge Rates per 10,000 Population by Category of First-listed Diagnosis and Age, New Mexico, 2012

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rate per 10,000 Population				
		NM Rate	< 15 Years	15 - 44 Years	45 - 64 Years	65 + Years
Infectious and Parasitic Diseases	001-139	39.2	9.3	18.6	50.2	136.2
Neoplasms	140-239	26.4	2.7	10.8	43.7	87.3
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	11.0	20.1	34.4	69.7
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	3.7	3.2	7.6	21.7
Mental Disorders	290-319	46.9	13.3	59.8	53.6	41.4
Diseases of the Nervous System and Sense Organs	320-389	14.6	9.3	10.4	16.6	33.4
Diseases of the Circulatory System	390-459	87.8	1.8	17.1	110.8	427.1
Diseases of the Respiratory System	460-519	70.3	82.9	17.7	66.8	234.4
Diseases of the Digestive System	520-579	87.5	23.9	63.4	116.6	215.7
Diseases of the Genitourinary System	580-629	40.0	9.1	26.2	42.5	125.7
Complications of Pregnancy, Childbirth, and Puerperium	630-677	19.0	0.2†	45.3	0.1	0.0
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	7.7	13.8	22.0	32.8
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	2.7	11.4	68.1	159.2
Congenital Anomalies	740-759	3.0	8.9	1.2	1.8	2.1
Certain Conditions Originating in the Perinatal Period	760-779	4.0	19.6	0.0	0.0	0.0
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	10.9	11.3	33.3	81.7
Injury and Poisoning	800-999	65.8	20.2	47.3	71.6	188.4
Supplementary Classifications	V01-V84	126.5	7.4	280.8	13.9	50.7

Note: New Mexico rates are age-adjusted to the 2000 U.S. standard population. Rates by age group are crude rates.

Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis and Gender

The top five discharge rates by category of first-listed diagnosis for males in New Mexico in 2012 were attributable to Diseases of the Circulatory System (103.1), Diseases of the Digestive System (87.2), Diseases of the Respiratory System (74.5), Injury and Poisoning (67.9), and Mental Disorders (49.4) (Table 7).

The top five discharge rates by category of first-listed diagnosis for females were attributable to Supplementary Classifications (244.5), Diseases of the Digestive System (87.7), Diseases of the Circulatory System (74.3), Diseases of the Respiratory System (67.1), and Injury and Poisoning (62.8).

Table 7: Hospital Inpatient Discharge Rates per 10,000 Population by Category of First-listed Diagnosis and Gender, New Mexico, 2012

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rates per 10,000 Population		
		NM Rate	Male	Female
Infectious and Parasitic Diseases	001-139	39.2	41.3	37.6
Neoplasms	140-239	26.4	22.3	30.6
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	28.5	27.5
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	6.0	7.4
Mental Disorders	290-319	46.9	49.4	44.2
Diseases of the Nervous System and Sense Organs	320-389	14.6	13.8	15.5
Diseases of the Circulatory System	390-459	87.8	103.1	74.3
Diseases of the Respiratory System	460-519	70.3	74.5	67.1
Diseases of the Digestive System	520-579	87.5	87.2	87.7
Diseases of the Genitourinary System	580-629	40.0	27.7	52.0
Complications of Pregnancy, Childbirth, and Puerperium	630-677	19.0	0.0	38.6
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	19.0	15.2
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	38.0	42.5
Congenital Anomalies	740-759	3.0	3.0	3.0
Certain Conditions Originating in the Perinatal Period	760-779	4.0	4.4	3.6
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	23.6	27.0
Injury and Poisoning	800-999	65.8	67.9	62.8
Supplementary Classifications	V01-V84	126.5	12.7	244.5

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Hospital Inpatient Discharge Rates by Category of First-listed Diagnosis and Region

Hospital inpatient discharge rates per 10,000 population by category of first- listed diagnosis and region for New Mexico in 2012 are listed in Table 8. Among all five regions:

- The Northeast Region had the highest rate for Injury and Poisoning (78.9) followed by the Northwest Region (76.1), Metro Region (68.4), Southeast Region (52.4) and Southwest Region (54.0);
- The Metro Region had the highest rate for Complications due to Pregnancy, Childbirth and Puerperium (20.9), followed by the Southeast Region (20.1), Northeast Region (18.2), Southwest Region (15.7), and Northwest Region (15.5);
- The Southeast Region had the highest rate for Diseases of the Respiratory System (98.1) followed by the Northwest Region (81.0), Northeast Region (72.2), Southwest Regions (69.0), and Metro Region (58.2);
- The Northwest Region had the highest rate for Diseases of the Circulatory System (103.9) followed by the Southwest Region (96.5), Metro Region (86.9), Southeast Region (82.2), and Northeast Region (76.7).

Table 8: Hospital Inpatient Discharge Rates per 10,000 Population by Category of First-listed Diagnosis and Region, New Mexico, 2012

Category of First-listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rates per 10,000 Population					
		NM Rate	NW Region	NE Region	Metro Region	SE Region	SW Region
Infectious and Parasitic Diseases	001-139	39.2	43.3	36.2	39.1	46.1	35.1
Neoplasms	140-239	26.4	24.3	26.8	28.9	21.6	25.4
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	33.9	26.4	23.5	36.5	30.6
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	7.8	6.2	5.9	7.6	7.6
Mental Disorders	290-319	46.9	55.6	42.0	40.4	73.5	42.6
Diseases of the Nervous System and Sense Organs	320-389	14.6	13.9	14.3	14.7	12.9	16.6
Diseases of the Circulatory System	390-459	87.8	103.9	76.7	86.9	82.2	96.5
Diseases of the Respiratory System	460-519	70.3	81.0	72.2	58.2	98.1	69.0
Diseases of the Digestive System	520-579	87.5	100.6	96	81.2	91.7	85.9
Diseases of the Genitourinary System	580-629	40.0	37.1	43.4	33.2	56.1	43.8
Complications of Pregnancy, Childbirth, and Puerperium	630-677	19.0	15.5	18.2	20.9	20.1	15.7
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	17.6	20.3	15.0	21.5	16.1
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	37.7	45.2	45.8	31.2	32.8
Congenital Anomalies	740-759	3.0	3.4	3.7	3.5	1.5	2.4
Certain Conditions Originating in the Perinatal Period	760-779	4.0	6.7	6.8	3.3	3.5	2.5
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	33.2	30.3	22.4	24.8	24.7
Injury and Poisoning	800-999	65.8	76.1	78.9	68.4	52.4	54.0
Supplementary Classifications	V01-V84	126.5	105.3	132.6	124.2	151.6	120.4

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Appendix



Appendix Table 1: Number of Discharges by First-listed Diagnosis and Age, New Mexico, 2012 – Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NM Total	<15 years	15-44 years	45-64 years	65+ years
Infectious and Parasitic Diseases	000-139	8,683	401	1,514	2,777	3,991
Septicemia	38	6106	52	967	2006	3081
Neoplasms	140-239	5,978	118	881	2,420	2,559
Malignant Neoplasms	140 - 208, 230 - 234	4,340	89	389	1,697	2,165
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	651	0	31	260	360
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	501	1	11	162	327
Benign Neoplasms	210 - 229	1328	15	445	608	260
Benign Neoplasms of Uterus	218 - 219	647	0	301	337	9
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	6,050	475	1,631	1,902	2,042
Diabetes Mellitus	250	3,063	123	1,138	1,092	710
Volume Depletion	276.5	1,045	264	140	178	463
Diseases of the Blood and Blood-Forming Organs	280-289	1,478	159	261	421	637
Anemias	280-285	920	36	154	255	475
Mental Disorders	290-319	9,611	574	4,857	2,966	1,214
Psychoses	290-299	7,795	397	3,852	2,471	1,075
Schizophrenic Disorders	295	1,140	13	696	372	59
Major Depressive Disorder	296.2, 296.3	1,687	102	718	583	284
Diseases of the Nervous System and Sense Organs	320-389	3,142	400	845	919	978
Diseases of the Circulatory System	390-459	20,116	78	1,389	6,134	12,515
Essential Hypertension	401	388	2	52	146	188
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	12,939	31	747	3,936	8,225
Acute Myocardial Infarction	410	2,918	0	159	1,114	1,645
Coronary Atherosclerosis	414	1,929	1	58	733	1,137
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	209	1	20	96	92
Cardiac Dysrhythmias	427	2,539	12	130	574	1,823
Congestive Heart Failure	428.0, 428.2 - 428.4	3,211	2	109	730	2,370
Cerebrovascular Disease	430 - 438	3,590	9	193	993	2,395
Diseases of the Respiratory System	460-519	15,583	3,580	1,436	3,698	6,869
Acute Bronchitis and Bronchiolitis	466	1,732	1,466	49	78	139
Pneumonia	480-486	5,348	759	470	1,264	2,855
Chronic Bronchitis	491	2,474	1	42	845	1,586
Asthma	493	1,833	818	325	390	300
Diseases of the Digestive System	520-579	18,960	1,033	5,152	6,454	6,321
Appendicitis	540-543	1,651	476	687	339	149
Non-Infectious Enteritis and Colitis	555-558	1,311	126	328	373	484
Intestinal Obstruction	560	1,687	55	214	566	852
Diverticula of Intestine	562	1,379	1	211	480	687
Cholelithiasis	574	2,183	12	901	675	595
Acute Pancreatitis	577	1,942	32	799	708	403
Diseases of the Genitourinary System	580-629	8,554	392	2,126	2,354	3,682
Calculus of Kidney and Ureter	592	808	8	276	316	208
Urinary Tract Infection	599	1,967	114	135	334	1,384
Complications of Pregnancy, Childbirth, and Puerperium	630-677	3,698	11	3,681	6	0
Diseases of the Skin and Subcutaneous Tissue	680-709	3,630	322	1,120	1,216	962
Cellulitis and Abscess	681-682	3,094	262	1,008	1,025	799
Diseases of the Musculoskeletal System and Connective Tissue	710-739	9,484	116	930	3,773	4,665
Osteoarthritis and Allied Disorders	715	4,796	0	87	1,984	2,725
Intervertebral Disc Disorders	722	1,061	1	243	489	328
Congenital Anomalies	740-759	642	385	99	97	61
Certain Conditions Originating in the Perinatal Period	760-779	847	847	0	0	0
Symptoms, Signs, and Ill-Defined Conditions	780-799	5,629	472	916	1,846	2,395
Injury and Poisoning	800-999	7,028	401	1,626	1,542	3,459
Fractures, All sites	800-829	5,339	293	964	1,121	2,961
Fracture of Neck of Femur	820	1,816	14	37	205	1,560
Poisonings	960-989	1,991	109	1,028	640	214
Certain Complications of Surgical and Medical Care	996-999	4,264	192	898	1,564	1,610
Supplementary Classifications	V01-V84	25,396	318	22,823	770	1,485
Females with Deliveries	V27	23,429	157	23,248	24	0

Appendix Table 2: Number of Discharges by First-listed Diagnosis and Gender, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NM Total	Males	Females
Infectious and Parasitic Diseases	000-139	8,683	4,242	4,441
Septicemia	38	6,106	3,041	3,065
Neoplasms	140-239	5,978	2,453	3,525
Malignant Neoplasms	140 - 208, 230 - 234	4,340	2,080	2,260
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	651	347	304
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	501	247	254
Benign Neoplasms	210 - 229	1,328	239	1,089
Benign Neoplasms of Uterus	218 - 219	647	0	647
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	6,050	2,953	3,097
Diabetes Mellitus	250	3,063	1,664	1,399
Volume Depletion	276.5	1,045	470	575
Diseases of the Blood and Blood-Forming Organs	280-289	1,478	630	848
Anemias	280-285	920	384	536
Mental Disorders	290-319	9,611	4,973	4,638
Psychoses	290-299	7,795	4,041	3,754
Schizophrenic Disorders	295	1,140	698	442
Major Depressive Disorder	296.2, 296.3	1,687	650	1,037
Diseases of the Nervous System and Sense Organs	320-389	3,142	1,428	1,714
Diseases of the Circulatory System	390-459	20,116	10,862	9,254
Essential Hypertension	401	388	147	241
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	12,939	7,288	5,651
Acute Myocardial Infarction	410	2,918	1,896	1,022
Coronary Atherosclerosis	414	1,929	1,249	680
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	209	106	103
Cardiac Dysrhythmias	427	2,539	1,307	1,232
Congestive Heart Failure	428.0, 428.2 - 428.4	3,211	1,689	1,522
Cerebrovascular Disease	430 - 438	3,590	1,713	1,877
Diseases of the Respiratory System	460-519	15,583	7,715	7,868
Acute Bronchitis and Bronchiolitis	466	1,732	916	816
Pneumonia	480-486	5,348	2,625	2,723
Chronic Bronchitis	491	2,474	1,195	1,279
Asthma	493	1,833	819	1,014
Diseases of the Digestive System	520-579	18,960	9,045	9,915
Appendicitis	540-543	1,651	932	719
Non-Infectious Enteritis and Colitis	555-558	1,311	517	794
Intestinal Obstruction	560	1,687	743	944
Diverticula of Intestine	562	1,379	605	774
Cholelithiasis	574	2,183	757	1,426
Acute Pancreatitis	577	1,942	1,015	927
Diseases of the Genitourinary System	580-629	8,554	2,835	5,719
Calculus of Kidney and Ureter	592	808	358	450
Urinary Tract Infection	599	1,967	598	1,369
Complications of Pregnancy, Childbirth, and Puerperium	630-677	3,698	0	3698
Diseases of the Skin and Subcutaneous Tissue	680-709	3,630	1,947	1,683
Cellulitis and Abscess	681-682	3,094	1,688	1,406
Diseases of the Musculoskeletal System and Connective Tissue	710-739	9,484	4,185	5,299
Osteoarthritis and Allied Disorders	715	4,796	1,927	2,869
Intervertebral Disc Disorders	722	1,061	522	539
Congenital Anomalies	740-759	642	318	324
Certain Conditions Originating in the Perinatal Period	760-779	847	477	370
Symptoms, Signs, and Ill-Defined Conditions	780-799	5,629	2,465	3,164
Injury and Poisoning	800-999	14,201	6,936	7,265
Fractures, All sites	800-829	5,339	2,275	3,064
Fracture of Neck of Femur	820	1,816	577	1,239
Poisonings	960-989	1,991	894	1,097
Certain Complications of Surgical and Medical Care	996-999	4,264	2,091	2,173
Supplementary Classifications	V01-V84	25,396	1,338	24,054
Females with Deliveries	V27	23,429	0	23,429

Appendix Table 3: Number of Discharges by First-listed Diagnosis and Region, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NM Total	NW Region	NE Region	Metro	SE Region	SW Region
Infectious and Parasitic Diseases	000-139	8,683	932	1,225	3,665	1,392	1,469
Septicemia	38	6106	683	848	2,536	1,001	1,038
Neoplasms	140-239	5,978	534	961	2,772	637	1,074
Malignant Neoplasms	140 - 208, 230 - 234	4,340	370	689	2,064	433	784
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	651	51	109	309	75	107
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	501	31	84	219	72	95
Benign Neoplasms	210 - 229	1328	136	212	578	177	225
Benign Neoplasms of Uterus	218 - 219	647	47	114	250	119	117
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	6,050	741	853	2,177	1,062	1,217
Diabetes Mellitus	250	3,063	340	369	1,254	556	544
Volume Depletion	276.5	1,045	101	147	236	225	336
Diseases of the Blood and Blood-Forming Organs	280-289	1,478	173	210	546	230	319
Anemias	280-285	920	105	134	301	153	227
Mental Disorders	290-319	9,611	1,200	1,191	3,647	2,029	1,544
Psychoses	290-299	7,795	839	845	2,983	1,833	1,295
Schizophrenic Disorders	295	1,140	96	126	461	252	205
Major Depressive Disorder	296.2, 296.3	1,687	236	172	615	239	425
Diseases of the Nervous System and Sense Organs	320-389	3,142	311	447	1,353	379	652
Diseases of the Circulatory System	390-459	20,116	2,190	2,858	8,234	2,565	4,269
Essential Hypertension	401	388	27	71	143	78	69
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	12,939	1,466	1,792	5,261	2,767	2,279
Acute Myocardial Infarction	410	2,918	354	397	1,371	264	532
Coronary Atherosclerosis	414	1,929	234	223	628	160	684
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	209	30	26	76	31	46
Cardiac Dysrhythmias	427	2,539	268	335	1,007	408	521
Congestive Heart Failure	428.0, 428.2 - 428.4	3,211	355	454	1,197	587	618
Cerebrovascular Disease	430 - 438	3,590	333	585	1,526	429	717
Diseases of the Respiratory System	460-519	15,583	1,851	2,369	5,394	3,048	2,921
Acute Bronchitis and Bronchiolitis	466	1,732	327	188	681	342	194
Pneumonia	480-486	5,348	604	943	1,595	1,092	1,118
Chronic Bronchitis	491	2,474	192	403	636	607	636
Asthma	493	1,833	177	248	707	447	254
Diseases of the Digestive System	520-579	18,960	2,202	3,140	7,555	2,664	3,399
Appendicitis	540-543	1,651	208	254	613	270	306
Non-Infectious Enteritis and Colitis	555-558	1,311	113	157	508	255	278
Intestinal Obstruction	560	1,687	182	295	626	252	332
Diverticula of Intestine	562	1,379	118	230	582	182	267
Cholelithiasis	574	2,183	288	316	882	290	407
Acute Pancreatitis	577	1,942	226	353	586	315	279
Diseases of the Genitourinary System	580-629	8,554	785	1,390	3,056	1,596	1,727
Calculus of Kidney and Ureter	592	808	50	125	344	126	163
Urinary Tract Infection	599	1,967	213	278	689	362	425
Complications of Pregnancy, Childbirth, and Puerperium	630-677	3,698	349	432	1,819	556	542
Diseases of the Skin and Subcutaneous Tissue	680-709	3,630	385	629	1,366	614	636
Cellulitis and Abscess	681-682	3,094	303	553	1,161	547	530
Diseases of the Musculoskeletal System and Connective Tissue	710-739	9,484	834	1,726	4,487	976	1,461
Osteoarthritis and Allied Disorders	715	4,796	369	749	2,450	517	711
Intervertebral Disc Disorders	722	1,061	85	221	466	85	204
Congenital Anomalies	740-759	642	87	104	314	46	91
Certain Conditions Originating in the Perinatal Period	760-779	847	184	164	290	115	94
Symptoms, Signs, and Ill-Defined Conditions	780-799	5,629	742	1,041	2,101	747	998
Injury and Poisoning	800-999	14,201	1,658	2,506	6,309	1,554	2,174
Fractures, All sites	800-829	5,339	545	981	2,358	636	819
Fracture of Neck of Femur	820	1,816	123	302	776	275	340
Poisonings	960-989	1,991	187	376	845	253	330
Certain Complications of Surgical and Medical Care	996-999	4,264	504	638	1,996	394	732
Supplementary Classifications	V01-V84	25,396	2,415	3,352	11,021	4,306	4,302
Females with Deliveries	V27	26,521	2,604	3,930	11,638	4,503	3,846

Appendix Table 4: Rate of Discharges by First-listed Diagnosis, New Mexico (2012) and U.S (2010) - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rate per 10,000 Population	
		NM Rate	US Rate
Infectious and Parasitic Diseases	000-139	39.2	44.1
Septicemia	38	29.2	26.3
Neoplasms	140-239	26.4	51.9
Malignant Neoplasms	140 - 208, 230 - 234	18.5	40.8
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	2.8	4.4
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	2.1	5.8
Benign Neoplasms	210 - 229	6.5	10.9
Benign Neoplasms of Uterus	218 - 219	6.9	6.1
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	57.9
Diabetes Mellitus	250	14.4	20.6
Volume Depletion	276.5	4.8	9.4
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	17.2
Anemias	280-285	4.2	12.7
Mental Disorders	290-319	46.9	68.2
Psychoses	290-299	37.9	50.1
Schizophrenic Disorders	295	5.6	8.6
Major Depressive Disorder	296.2, 296.3	8.0	12.8
Diseases of the Nervous System and Sense Organs	320-389	14.6	32.8
Diseases of the Circulatory System	390-459	87.8	188.5
Essential Hypertension	401	1.7	9.1
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	56.1	121.0
Acute Myocardial Infarction	410	12.5	19.3
Coronary Atherosclerosis	414	8.0	21.1
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	0.9	3.3
Cardiac Dysrhythmias	427	11.2	24.9
Congestive Heart Failure	428.0, 428.2 - 428.4	14.1	32.8
Cerebrovascular Disease	430 - 438	12.8	33.0
Diseases of the Respiratory System	460-519	70.3	111.9
Acute Bronchitis and Bronchiolitis	466	8.2	5.6
Pneumonia	480-486	24.2	36.6
Chronic Bronchitis	491	10.4	19.9
Asthma	493	8.7	14.3
Diseases of the Digestive System	520-579	87.5	112.8
Appendicitis	540-543	8.0	8.9
Non-Infectious Enteritis and Colitis	555-558	6.1	10.4
Intestinal Obstruction	560	7.5	12.5
Diverticula of Intestine	562	6.2	9.7
Cholelithiasis	574	10.2	10.9
Acute Pancreatitis	577	9.3	9.0
Diseases of the Genitourinary System	580-629	40.0	70.2
Calculus of Kidney and Ureter	592	3.7	5.1
Urinary Tract Infection	599	8.9	18.1
Complications of Pregnancy, Childbirth, and Puerperium	630-677	16.6	15.9
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	24.2
Cellulitis and Abscess	681-682	14.6	19.6
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	74.7
Osteoarthritis and Allied Disorders	715	19.5	34.3
Intervertebral Disc Disorders	722	4.8	10.3
Congenital Anomalies	740-759	3.0	5.7
Certain Conditions Originating in the Perinatal Period	760-779	4.0	*
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	6.0
Injury and Poisoning	800-999	65.8	96.9
Fractures, All sites	800-829	24.6	36.2
Fracture of Neck of Femur	820	8.2	9.9
Poisonings	960-989	9.7	8.4
Certain Complications of Surgical and Medical Care	996-999	19.1	33.0
Supplementary Classifications	V01-V84	126.5	154.9
Females with Deliveries	V27	125.8	128.4

Note: New Mexico rates are age-adjusted to the 2000 U.S. standard population. Rates by age group are crude rates.

*Figure does not meet standards of reliability or precision

Appendix Table 5: Rate of Discharges by First-listed Diagnosis and Age, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rate per 10,000 Population				
		NM Rate	< 15 years	15-44 years	45-64 years	65 + years
Infectious and Parasitic Diseases	000-139	39.2	9.3	18.6	50.2	136.2
Septicemia	38	29.2	1.2	11.9	36.2	105.2
Neoplasms	140-239	26.4	2.7	10.8	43.7	87.3
Malignant Neoplasms	140 - 208, 230 - 234	18.5	2.1	4.8	30.6	73.9
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	2.8	0.0	0.4	4.7	12.3
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	2.1	0.0	0.1	2.9	11.2
Benign Neoplasms	210 - 229	6.5	0.4	5.5	11.0	8.9
Benign Neoplasms of Uterus	218 - 219	6.9	0.0	3.7	6.1	0.3
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	11.0	20.1	34.5	69.8
Diabetes Mellitus	250	14.4	2.8	14.0	19.8	24.3
Volume Depletion	276.5	4.8	6.1	1.7	3.2	15.8
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	3.7	3.2	7.6	21.7
Anemias	280-285	4.2	0.8	1.9	4.6	16.2
Mental Disorders	290-319	46.9	18.9	77.2	62.7	42.4
Psychoses	290-299	37.9	14.2	56.6	50.0	37.3
Schizophrenic Disorders	295	5.6	0.7	10.9	9.0	2.2
Major Depressive Disorder	296.2, 296.3	8.0	4.3	11.3	11.4	9.9
Diseases of the Nervous System and Sense Organs	320-389	14.6	9.3	10.4	16.6	33.5
Diseases of the Circulatory System	390-459	87.8	1.8	17.1	110.8	427.4
Essential Hypertension	401	1.7	0.0	0.6	2.6	6.4
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	56.1	0.7	9.2	71.1	280.8
Acute Myocardial Infarction	410	12.5	0.0	2.0	20.1	56.1
Coronary Atherosclerosis	414	8.0	0.0	0.7	13.2	38.8
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	0.9	0.0	0.2	1.7	3.1
Cardiac Dysrhythmias	427	11.2	0.3	1.6	10.4	62.2
Congestive Heart Failure	428.0, 428.2 - 428.4	14.1	0.0	1.3	13.2	80.9
Cerebrovascular Disease	430 - 438	12.8	0.2	2.4	18.0	81.8
Diseases of the Respiratory System	460-519	70.3	82.9	17.8	66.9	235.0
Acute Bronchitis and Bronchiolitis	466	8.2	34.0	0.6	1.4	4.7
Pneumonia	480-486	24.2	17.6	5.8	22.8	97.4
Chronic Bronchitis	491	10.4	0.0	0.5	15.3	54.2
Asthma	493	8.7	18.9	4.0	7.0	10.2
Diseases of the Digestive System	520-579	87.5	23.9	63.4	116.6	215.8
Appendicitis	540-543	8.0	11.0	8.4	6.1	5.1
Non-Infectious Enteritis and Colitis	555-558	6.1	2.9	4.0	6.7	16.5
Intestinal Obstruction	560	7.5	1.3	2.6	10.2	29.1
Diverticula of Intestine	562	6.2	0.0	2.6	8.7	23.4
Cholelithiasis	574	10.2	0.3	11.1	12.2	20.3
Acute Pancreatitis	577	9.3	0.7	9.8	12.8	13.8
Diseases of the Genitourinary System	580-629	40.0	9.1	26.2	42.5	125.7
Calculus of Kidney and Ureter	592	3.7	0.2	3.4	5.7	7.1
Urinary Tract Infection	599	8.9	2.6	1.7	6.0	47.2
Complications of Pregnancy, Childbirth, and Puerperium	630-677	16.6	0.2	45.3	0.1	0.0
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	7.7	13.8	22.1	33.4
Cellulitis and Abscess	681-682	14.6	6.1	12.4	18.5	27.3
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	2.7	11.5	68.2	159.4
Osteoarthritis and Allied Disorders	715	19.5	0.0	1.1	35.8	93.0
Intervertebral Disc Disorders	722	4.8	0.0	3.0	8.8	11.2
Congenital Anomalies	740-759	3.0	8.9	1.2	1.8	2.1
Certain Conditions Originating in the Perinatal Period	760-779	4.0	19.6	0.0	0.0	0.0
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	10.9	11.3	33.3	81.7
Injury and Poisoning	800-999	65.8	20.2	47.3	71.8	188.7
Fractures, All sites	800-829	24.6	6.8	11.9	20.3	101.1
Fracture of Neck of Femur	820	8.2	0.3	0.5	3.7	53.2
Poisonings	960-989	9.7	2.5	12.6	11.6	7.3
Certain Complications of Surgical and Medical Care	996-999	19.1	4.4	11.1	28.4	55.2
Supplementary Classifications	V01-V84	126.5	7.4	284.1	29.8	134.2
Females with Deliveries	V27	125.8	3.6	285.6	0.4	0

Note: New Mexico rates are age-adjusted to the 2000 U.S. standard population. Rates by age group are crude rates.

Appendix Table 6: Rate of discharges by First-listed Diagnosis and Gender, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Rate per 10,000 population		
		NM Rate	Males	Females
Infectious and Parasitic Diseases	000-139	39.2	41.3	37.6
Septicemia	38	29.2	29.4	2
Neoplasms	140-239	26.4	22.3	30.6
Malignant Neoplasms	140 - 208, 230 - 234	18.5	18.9	18.4
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	2.8	2.2	2.0
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	2.1	2.2	2.0
Benign Neoplasms	210 - 229	6.5	2.2	10.7
Benign Neoplasms of Uterus	218 - 219	6.9	0.0	6.9
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	28.0	28.5	27.5
Diabetes Mellitus	250	14.4	16.1	12.8
Volume Depletion	276.5	4.8	4.6	5.0
Diseases of the Blood and Blood-Forming Organs	280-289	6.7	6.0	7.4
Anemias	280-285	4.2	3.7	4.6
Mental Disorders	290-319	46.9	49.4	44.2
Psychoses	290-299	37.9	40.1	35.6
Schizophrenic Disorders	295	5.6	7.0	4.2
Major Depressive Disorder	296.2, 296.3	8.0	6.2	9.6
Diseases of the Nervous System and Sense Organs	320-389	14.6	13.8	15.5
Diseases of the Circulatory System	390-459	87.8	103.1	74.3
Essential Hypertension	401	1.7	1.4	2.0
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	56.1	68.7	45.1
Acute Myocardial Infarction	410	12.5	17.5	8.1
Coronary Atherosclerosis	414	8.0	11.1	5.2
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	0.9	1.0	0.8
Cardiac Dysrhythmias	427	11.2	12.5	9.9
Congestive Heart Failure	428.0, 428.2 - 428.4	14.1	16.6	12.0
Cerebrovascular Disease	430 - 438	15.8	16.6	15.0
Diseases of the Respiratory System	460-519	70.3	74.5	67.1
Acute Bronchitis and Bronchiolitis	466	8.2	8.6	7.7
Pneumonia	480-486	24.2	26.0	22.9
Chronic Bronchitis	491	10.4	11.1	10.0
Asthma	493	8.7	7.9	9.4
Diseases of the Digestive System	520-579	87.5	87.2	87.7
Appendicitis	540-543	8.0	9.2	6.9
Non-Infectious Enteritis and Colitis	555-558	6.1	5.0	7.0
Intestinal Obstruction	560	7.5	7.0	7.8
Diverticula of Intestine	562	6.2	5.9	6.4
Cholelithiasis	574	10.2	7.3	13.2
Acute Pancreatitis	577	9.3	10.0	8.6
Diseases of the Genitourinary System	580-629	40.0	27.7	52.0
Calculus of Kidney and Ureter	592	3.7	3.4	4.1
Urinary Tract Infection	599	8.9	6.2	11.3
Complications of Pregnancy, Childbirth, and Puerperium	630-677	16.6	38.6	0.0
Diseases of the Skin and Subcutaneous Tissue	680-709	17.1	19.0	15.2
Cellulitis and Abscess	681-682	14.6	16.6	12.7
Diseases of the Musculoskeletal System and Connective Tissue	710-739	40.4	38.0	42.5
Osteoarthritis and Allied Disorders	715	19.5	16.8	22.0
Intervertebral Disc Disorders	722	4.8	4.9	4.7
Congenital Anomalies	740-759	3.0	3.0	3.0
Certain Conditions Originating in the Perinatal Period	760-779	4.0	4.4	3.6
Symptoms, Signs, and Ill-Defined Conditions	780-799	25.4	23.6	27.0
Injury and Poisoning	800-999	65.8	67.9	62.8
Fractures, All sites	800-829	24.6	22.8	25.0
Fracture of Neck of Femur	820	8.2	6.1	9.7
Poisonings	960-989	9.7	8.8	10.6
Certain Complications of Surgical and Medical Care	996-999	19.1	19.6	18.9
Supplementary Classifications	V01-V84	126.5	12.7	244.5
Females with Deliveries	V27	125.8	0.0	255.3

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Appendix Table 7: Average Length of Stay by First-listed Diagnosis and Age, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	<15 years	15-44 years	45-64 years	65+ years
Infectious and Parasitic Diseases	000-139	3.9	6.6	7.2	6.3
Septicemia	38	8.6	7.6	8.1	6.4
Neoplasms	140-239	8.6	4.8	5.6	6.2
Malignant Neoplasms	140 - 208, 230 - 234	10.1	7.3	6.2	6.5
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	0.0	8.9	7.6	8.3
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	0.0	4.6	6.0	5.7
Benign Neoplasms	210 - 229	4.3	2.7	3.8	5.3
Benign Neoplasms of Uterus	218 - 219	0.0	2.0	2.3	4.7
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	3.5	3.8	4.7	4.0
Diabetes Mellitus	250	3.4	3.7	5.4	5.0
Volume Depletion	276.5	0.0	3.2	4.8	3.1
Diseases of the Blood and Blood-Forming Organs	280-289	3.5	3.3	3.8	4.2
Anemias	280-285	3.5	2.9	3.4	3.8
Mental Disorders	290-319	12.3	6.1	6.5	9.6
Psychoses	290-299	12.6	6.0	6.8	10.0
Schizophrenic Disorders	295	21.3	9.4	10.8	13.8
Major Depressive Disorder	296.2, 296.3	3.7	3.2	5.4	8.5
Diseases of the Nervous System and Sense Organs	320-389	5.6	4.2	5.1	7.3
Diseases of the Circulatory System	390-459	5.2	4.4	4.3	4.2
Essential Hypertension	401	2.0	2.0	2.4	2.5
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	5.4	3.9	4.0	4.3
Acute Myocardial Infarction	410	4.0	3.5	3.7	4.3
Coronary Atherosclerosis	414	4.0	3.9	3.3	3.7
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	4.0	3.5	2.3	2.4
Cardiac Dysrhythmias	427	3.0	2.7	3.2	3.9
Congestive Heart Failure	428.0, 428.2 - 428.4	2.5	5.0	5.1	4.5
Cerebrovascular Disease	430 - 438	7.8	6.3	5.0	3.9
Diseases of the Respiratory System	460-519	3.1	3.9	4.8	4.9
Acute Bronchitis and Bronchiolitis	466	3.2	3.0	2.7	3.2
Pneumonia	480-486	2.9	3.8	4.7	4.6
Chronic Bronchitis	491	7.0	2.8	3.8	4.1
Asthma	493	2.5	2.9	4.1	3.7
Diseases of the Digestive System	520-579	3.6	3.6	4.3	4.7
Appendicitis	540-543	3.1	2.5	3.5	4.6
Non-Infectious Enteritis and Colitis	555-558	5.3	5.4	6.1	6.2
Intestinal Obstruction	560	5.9	5.1	4.6	5.8
Diverticula of Intestine	562	2.0	4.2	4.4	4.6
Cholelithiasis	574	2.7	2.6	3.3	4.8
Acute Pancreatitis	577	7.1	4.3	4.5	4.8
Diseases of the Genitourinary System	580-629	3.2	2.8	3.4	3.9
Calculus of Kidney and Ureter	592	3.5	2.2	2.3	2.9
Urinary Tract Infection	599	2.9	3.7	3.5	3.9
Complications of Pregnancy, Childbirth, and Puerperium	630-677	2.3	2.4	4.3	0.0
Diseases of the Skin and Subcutaneous Tissue	680-709	2.8	4.0	4.6	5.0
Cellulitis and Abscess	681-682	2.8	3.8	4.2	4.6
Diseases of the Musculoskeletal System and Connective Tissue	710-739	5.3	4.0	3.6	3.6
Osteoarthritis and Allied Disorders	715	0.0	0.0	0.0	0.0
Intervertebral Disc Disorders	722	1.0	1.2	1.4	1.4
Congenital Anomalies	740-759	7.2	4.6	4.2	4.1
Certain Conditions Originating in the Perinatal Period	760-779	7.3	2.0	0.0	0.0
Symptoms, Signs, and Ill-Defined Conditions	780-799	2.7	3.1	2.6	2.8
Injury and Poisoning	800-999	4.1	4.8	5.6	5.3
Fractures, All sites	800-829	3.0	5.0	5.2	4.9
Fracture of Neck of Femur	820	0.0	0.0	0.0	0.0
Poisonings	960-989	1.9	3.0	3.7	3.7
Certain Complications of Surgical and Medical Care	996-999	6.6	5.7	6.9	7.1
Supplementary Classifications	V01-V84	5.1	8.1	12.7	14.5
Females with Deliveries	V27	2.4	2.3	4.5	0.0

Note: Average Length of Stay is measured in days.

Appendix Table 8: Average Length of Stay by First-listed Diagnosis and Gender, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	Males	Females
Infectious and Parasitic Diseases	000-139	7.0	6.0
Septicemia	38	7.7	6.7
Neoplasms	140-239	8.1	8.0
Malignant Neoplasms	140 - 208, 230 - 234	6.9	6.2
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	8.1	8.0
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	6.2	5.3
Benign Neoplasms	210 - 229	5.7	3.3
Benign Neoplasms of Uterus	218 - 219	0.0	2.2
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	4.4	3.9
Diabetes Mellitus	250	4.8	4.4
Volume Depletion	276.5	3.3	4.0
Diseases of the Blood and Blood-Forming Organs	280-289	4.0	3.8
Anemias	280-285	3.5	3.6
Mental Disorders	290-319	6.8	7.5
Psychoses	290-299	6.8	7.7
Schizophrenic Disorders	295	9.7	11.1
Major Depressive Disorder	296.2, 296.3	4.9	5.5
Diseases of the Nervous System and Sense Organs	320-389	6.6	4.8
Diseases of the Circulatory System	390-459	4.3	4.2
Essential Hypertension	401	2.4	2.3
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	4.2	4.1
Acute Myocardial Infarction	410	4.0	4.0
Coronary Atherosclerosis	414	3.6	3.5
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	2.7	2.2
Cardiac Dysrhythmias	427	3.6	3.7
Congestive Heart Failure	428.0, 428.2 - 428.4	4.8	4.5
Cerebrovascular Disease	430 - 438	4.4	4.3
Diseases of the Respiratory System	460-519	4.3	4.4
Acute Bronchitis and Bronchiolitis	466	3.3	3.1
Pneumonia	480-486	4.3	4.4
Chronic Bronchitis	491	3.9	4.1
Asthma	493	2.8	3.4
Diseases of the Digestive System	520-579	4.3	4.1
Appendicitis	540-543	3.2	2.9
Non-Infectious Enteritis and Colitis	555-558	6.6	5.4
Intestinal Obstruction	560	5.1	5.5
Diverticula of Intestine	562	4.4	4.5
Cholelithiasis	574	3.9	3.2
Acute Pancreatitis	577	4.7	4.4
Diseases of the Genitourinary System	580-629	4.0	3.2
Calculus of Kidney and Ureter	592	2.2	2.5
Urinary Tract Infection	599	3.9	3.7
Complications of Pregnancy, Childbirth, and Puerperium	630-677	0.0	2.4
Diseases of the Skin and Subcutaneous Tissue	680-709	4.3	4.4
Cellulitis and Abscess	681-682	3.9	4.2
Diseases of the Musculoskeletal System and Connective Tissue	710-739	3.8	3.5
Osteoarthritis and Allied Disorders	715	0.0	0.0
Intervertebral Disc Disorders	722	1.3	1.4
Congenital Anomalies	740-759	6.5	5.6
Certain Conditions Originating in the Perinatal Period	760-779	7.8	6.8
Symptoms, Signs, and Ill-Defined Conditions	780-799	2.9	2.7
Injury and Poisoning	800-999	5.4	4.9
Fractures, All sites	800-829	5.2	4.6
Fracture of Neck of Femur	820	0.0	0.0
Poisonings	960-989	3.1	3.3
Certain Complications of Surgical and Medical Care	996-999	6.8	6.5
Supplementary Classifications	V01-V84	11.4	12.8
Females with Deliveries	V27	0.0	2.3

Note: Average Length of Stay is measured in days.

Appendix Table 9: Average Length of Stay by First-listed Diagnosis and Region, New Mexico, 2012 - Expanded Listing

Category of First Listed Diagnosis	Diagnosis Codes (ICD-9-CM Codes)	NW Region	NE Region	Metro	SE Region	SW Region
Infectious and Parasitic Diseases	000-139	7.0	5.8	7.3	5.0	6.3
Septicemia	38	7.6	6.4	8.2	5.4	6.8
Neoplasms	140-239	6.2	5.6	6.1	4.4	6.0
Malignant Neoplasms	140 - 208, 230 - 234	7.0	6.4	6.7	5.2	6.6
Malignant Neoplasms of Large Intestine and Rectum	153 - 154, 197.5	7.2	7.6	8.1	7.7	9.0
Malignant Neoplasms of Trachea, Bronchi and Lung	162, 176.4, 197.0, 197.3	6.7	5.0	6.3	3.4	6.7
Benign Neoplasms	210 - 229	4.5	3.1	4.1	2.5	4.0
Benign Neoplasms of Uterus	218 - 219	2.1	2.3	2.2	2.0	2.2
Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders	240-279	4.0	3.7	4.8	3.5	3.9
Diabetes Mellitus	250	4.3	4.3	5.3	3.6	4.4
Volume Depletion	276.5	2.8	6.0	2.5	3.2	0.0
Diseases of the Blood and Blood-Forming Organs	280-289	4.1	3.5	4.0	3.4	4.0
Anemias	280-285	3.2	3.1	3.8	3.4	3.6
Mental Disorders	290-319	6.4	6.1	8.8	6.7	5.2
Psychoses	290-299	4.6	6.4	9.1	7.0	5.4
Schizophrenic Disorders	295	4.9	8.3	12.7	11.6	6.8
Major Depressive Disorder	296.2, 296.3	3.7	4.3	7.6	9.0	2.8
Diseases of the Nervous System and Sense Organs	320-389	6.0	4.5	6.3	4.8	5.1
Diseases of the Circulatory System	390-459	4.2	4.0	4.4	3.8	4.4
Essential Hypertension	401	1.8	2.4	2.3	2.4	2.7
Heart Disease	391 - 392.0, 393 - 398, 402,410-416, 420-429	4.0	3.9	4.3	4.0	4.4
Acute Myocardial Infarction	410	4.1	3.8	4.0	3.6	4.4
Coronary Atherosclerosis	414	3.2	3.6	3.7	2.4	3.8
Other Ischemic Heart Disease	411 - 413, 414.1 - 414.9	2.3	2.8	2.8	1.3	2.9
Cardiac Dysrhythmias	427	3.1	3.1	3.6	4.4	3.9
Congestive Heart Failure	428.0, 428.2 - 428.4	4.8	4.2	5.0	4.1	5.0
Cerebrovascular Disease	430 - 438	4.3	4.4	4.7	3.5	4.1
Diseases of the Respiratory System	460-519	4.1	4.3	4.5	3.6	5.1
Acute Bronchitis and Bronchiolitis	466	3.5	3.3	3.4	2.6	3.0
Pneumonia	480-486	4.1	4.2	4.6	3.9	4.6
Chronic Bronchitis	491	3.7	3.9	3.7	3.9	4.4
Asthma	493	3.2	2.9	3.2	2.6	3.9
Diseases of the Digestive System	520-579	4.2	3.9	4.5	3.3	4.4
Appendicitis	540-543	2.8	3.1	3.2	2.6	3.3
Non-Infectious Enteritis and Colitis	555-558	6.4	5.6	5.7	4.5	7.0
Intestinal Obstruction	560	6.9	4.4	6.0	4.0	5.1
Diverticula of Intestine	562	4.7	4.6	4.5	3.6	4.6
Cholelithiasis	574	3.7	3.3	3.3	3.0	3.8
Acute Pancreatitis	577	4.3	4.1	5.2	3.5	4.5
Diseases of the Genitourinary System	580-629	3.7	3.4	3.7	2.8	3.5
Calculus of Kidney and Ureter	592	2.8	2.7	2.4	2.0	2.4
Urinary Tract Infection	599	3.3	3.4	4.1	3.3	3.9
Complications of Pregnancy, Childbirth, and Puerperium	630-677	2.4	2.6	2.6	2.0	2.3
Diseases of the Skin and Subcutaneous Tissue	680-709	4.2	4.0	4.8	3.5	4.8
Cellulitis and Abscess	681-682	3.9	3.8	4.3	3.5	4.4
Diseases of the Musculoskeletal System and Connective Tissue	710-739	4.4	3.4	3.7	3.5	3.5
Osteoarthritis and Allied Disorders	715	0.0	0.0	0.0	0.0	0.0
Intervertebral Disc Disorders	722	1.4	1.3	1.2	5.0	1.4
Congenital Anomalies	740-759	7.6	6.2	6.2	5.4	4.4
Certain Conditions Originating in the Perinatal Period	760-779	10.0	8.6	5.6	5.2	7.9
Symptoms, Signs, and Ill-Defined Conditions	780-799	2.6	2.7	3.0	2.5	2.7
Injury and Poisoning	800-999	5.5	5.0	5.2	4.5	5.5
Fractures, All sites	800-829	5.5	5.3	4.7	4.5	4.7
Fracture of Neck of Femur	820	0.0	0.0	0.0	0.0	0.0
Poisonings	960-989	2.8	2.8	3.4	2.5	3.8
Certain Complications of Surgical and Medical Care	996-999	7.7	5.8	6.1	5.1	8.8
Supplementary Classifications	V01-V84	16.4	10.8	11.5	15.7	8.7
Females with Deliveries	V27	2.3	2.4	2.5	1.9	2.3

Note: Average Length of Stay is measured in days.

New Mexico Department of Health
Epidemiology and Response Division
Harold L. Runnels Building
1190 S. St. Francis Dr.
Santa Fe, NM 87502
Phone: (505) 827-2613
Fax: (505) 827-2530 <http://www.health.state.nm.us>

