

# GUADALUPE COUNTY HEALTH PROFILE

## 2003 NEW MEXICO COUNTY HEALTH PROFILES NEW MEXICO DEPARTMENT OF HEALTH PUBLIC HEALTH DIVISION OFFICE OF NEW MEXICO VITAL RECORDS AND HEALTH STATISTICS

Welcome to the fifth update of the New Mexico County Health Profiles. This publication is dedicated to users of county-level data as well as to those who contributed data, suggestions, interpretations, and comments. Thanks to so many of you, there are many improvements in this year's version. Some of you work in the Department of Health, but a great many of you work in other agencies and it is gratifying to be able to have collaborated with you.

As in prior versions, the latest data available from each source is used. Questions about the data, their collection, limitations, or interpretation should be directed to the appropriate data source. To aid in this, a source is listed at the bottom of each table throughout the profile.

The compilation of the Profiles is possible because of assistance and contributions from many agencies and data providers: NM Department of Health, District Health Offices, Diabetes Prevention and Control Program, Family Food and Nutrition Services, Family Health Bureau, Infectious Disease Bureau, Injury Prevention and EMS Bureau, Long Term Services Division, Family Infant Toddler Program, Behavioral Health, and Office of Epidemiology; NM Children, Youth and Families Department, Child Protective Services; NM Commission on Higher Education; NM Department of Education; NM Department of Labor; NM Health Policy Commission; NM Department of Transportation, Traffic Safety Bureau; NM Human Services Department, Income Support Division, Medical Assistance Division; University of New Mexico's Bureau of Business and Economic Research (BBER) and New Mexico Tumor Registry; Center for Disease Control's National Center for Health Statistics; US Department of Commerce, Bureau of the Census and Bureau of Economic Analysis; and US Bureau of Labor Statistics.

Without outstanding assistance from the entire staff at the Office of New Mexico Vital Records and Health Statistics, these profiles would not have been produced and we especially wish to thank: Mary M. Gonzales, John Hedrick, Brad Whorton, Brian Woods, Radha S. Biswas, Tony Ortiz, Renee Valencia, Michael Patterson, Veronica Tapia, Pete Varela, Rebecca Rodriguez, and Melinda Roybal.

**Your comments are welcome. You may call 827-0167 to provide comments or suggestions for future reports.**

Celine Sanchez  
**State Registrar and Acting Chief**  
**Office of New Mexico Vital Records and Health Statistics**

Kimberley Peters  
**Director, Designated State Center for Health Statistics**

Mary Houdek  
**Manager, Information Systems and GIS**

Mary Anne Escudero  
**Manager, Fraud Program & Deputy State Registrar**

**Copyright 2003 Office of New Mexico Vital Records and Health Statistics.**  
**Permission to quote from or reproduce materials from this report is granted**  
**with attributions.**



**Office of New Mexico Vital Records & Health Statistics  
County Health Profile Team**

Mary M. Gonzales	Management Analyst & Co-editor
Jonathan Hedrick	Statistician & Co-editor
Radha S. Biswas	Epidemiologist
Tony Ortiz	Epidemiologist
Michael Patterson	Statistician
Rebecca Rodriguez	Statistician
Melinda Roybal	Statistician
Veronica Tapia	Clerk Specialist
Renee Valencia	Nosologist
Pete Varela	Statistician
Brad Whorton	Epidemiologist
Brian Woods	Epidemiologist

**TABLE OF CONTENTS**

**Population**.....5

- Growth and Change
- Distribution by Age and Gender
- Distribution by Race/Ethnicity
- Distribution by Hispanic Ethnicity
- Special Populations

**Socio-Economic**.....8

- Per Capita Income / Average Wages / Total Personal Income
- Unemployment / TANF & Food Stamps / Medicaid / Poverty

**Maternal and Infant Health**.....10

- Live Births / Crude Birth Rates / Fertility Rates
- Number of Births and Birth Rates by Age of Mother
- Percent of Total Births to Teen Mothers / Single Mothers
- Percent of Births to Mothers with < 12 Years Education / First Trimester Prenatal Care
- Prenatal Care – Modified Kessner Index
- Adequacy of Prenatal Care Utilization - Kotelchuck Index
- Live Births by Type of Attendant
- Low Birth Weight Births / Very Low Birth Weight Births / High Birth Weight
- Supplemental Programs / Births Paid by Medicaid / Female Population Age 15-44
- Number Infant, Neonatal and Postneonatal Deaths / Infant Mortality - SIDS Deaths/Birth Defects

**Child Health (1-14) Years of Age**.....20

- Children’s Chronic Conditions Registry Data / Child Abuse
- Family Infant Toddler (FIT) Data
- School Enrollment
- Mortality – Deaths / Death Rates / Childhood Leading Causes

**Adolescent / Youth (15-19) Years of Age**.....24

- High School Enrollment / Drop-out Rate / College Enrollment
- Motor Vehicle Crashes
- Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes

**Infectious / Communicable Disease**.....27


- Gastrointestinal Disease
  - Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis
- Bloodborne Diseases
  - Hepatitis B / HIV/AIDS
- Respiratory Diseases
  - Pertussis / Tuberculosis
- Sexually Transmitted Diseases
  - Chlamydia / Gonorrhea / Syphilis

## TABLE OF CONTENTS cont'd

<b>Injury</b> .....	30
Motor Vehicle Crashes	
Injuries by Category	
<b>Chronic Disease</b> .....	33
Cancer Incidence - Male	
Cancer Incidence - Female	
Inpatient Hospitalization	
Hospital Discharge by Payer / Asthma	
Diabetes	
<b>Aging</b> .....	38
Inpatient Hospitalization / Discharge Status	
Adult Abuse / Deaths / Death Rates / Leading Causes of Death	
<b>General Mortality</b> .....	40
Deaths / Death Rates / Leading Causes of Death	
<b>Environmental Health</b> .....	41
Lead Poisoning	
<b>Community Resources</b> .....	42
Hospitals and Primary Care Facilities / Health Care Clinics	
Selected Community Partners to Public Health / Licensed Health Professionals	
Active Emergency Medical Services	
<b>Glossary</b> .....	44

**GUADALUPE COUNTY POPULATION / AGE AND GENDER**

**POPULATION GROWTH  
1970 TO 2000**




SOURCE: U.S. Bureau of the Census

**2002 POPULATION ESTIMATES  
BY AGE AND GENDER**

Age Groups	Guadalupe County			New Mexico		
	Male	Female	Both	Male	Female	Both
Less than 1 yr	19	26	45	13,746	13,361	27,107
1 to 4 years	91	107	198	53,236	51,780	105,016
5 to 9 years	124	116	240	67,768	65,647	133,415
10 to 14 years	163	164	327	74,247	71,746	145,993
15 to 19 years	198	157	355	76,356	72,288	148,644
20 to 24 years	216	111	327	67,182	64,847	132,029
25 to 29 years	177	88	265	56,796	56,273	113,069
30 to 34 years	136	90	226	59,596	59,961	119,557
35 to 39 years	243	142	385	64,222	65,623	129,845
40 to 44 years	246	202	448	70,951	73,496	144,447
45 to 49 years	189	145	334	66,325	70,011	136,336
50 to 54 years	168	134	302	60,317	63,383	123,700
55 to 59 years	101	113	214	47,075	50,411	97,486
60 to 64 years	94	126	220	36,530	40,431	76,961
65 to 69 years	102	96	198	30,979	34,231	65,210
70 to 74 years	87	68	155	26,175	29,427	55,602
75 to 79 years	56	75	131	19,298	25,786	45,084
80 to 84 years	32	42	74	12,434	17,304	29,738
85 and over	33	68	101	8,926	16,894	25,820
All Ages	2,475	2,070	4,545	912,159	942,900	1,855,059

Source: U.S. Bureau of the Census

**2002 POPULATION ESTIMATES  
BY AGE GROUP**




SOURCE: U.S. Bureau of the Census

**GUADALUPE COUNTY POPULATION / AGE AND RACE/ETHNICITY**

2002 POPULATION ESTIMATES BY AGE AND RACE/ETHNICITY								
Age Groups	ONE RACE					Two or More Races	Total Population	Hispanic or Latino Ethnicity Any Race <sup>/1</sup>
	White	Black	American Indian / Alaska Native	Asian / Pacific Islander				
Under 5 years	237	3	1	2	0	243	209	
5 to 9 years	234	1	1	4	0	240	211	
10 to 14 years	318	1	3	5	0	327	286	
15 to 19 years	346	1	2	6	0	355	312	
20 to 24 years	310	9	6	2	0	327	263	
25 to 29 years	246	10	6	3	0	265	206	
30 to 34 years	205	9	9	3	0	226	172	
35 to 39 years	359	18	4	4	0	385	291	
40 to 44 years	425	8	10	5	0	448	343	
45 to 49 years	322	3	7	2	0	334	252	
50 to 54 years	296	1	4	1	0	302	217	
55 to 59 years	208	1	1	4	0	214	167	
60 to 64 years	217	0	3	0	0	220	170	
65 to 69 years	196	0	1	1	0	198	160	
70 to 74 years	154	0	1	0	0	155	132	
75 to 79 years	131	0	0	0	0	131	99	
80 to 84 years	73	0	1	0	0	74	46	
85 and over	101	0	0	0	0	101	68	
All Ages	4,378	65	60	42	0	4,545	3,604	


<sup>/1</sup> Hispanic or Latino origin may be of any race. Adding the Hispanic or Latino population to the racial categories will result in double counting.

**SOURCE: U.S. Bureau of the Census and UNM, Bureau of Business and Economic Research (BBER)**




UNDER 20 POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
Under 5 years	250	254	243
5 to 9 years	297	267	240
10 to 14 years	361	341	327
15 to 19 years	365	376	355
Under 20 years	1,273	1,238	1,165
County Population	4,680	4,619	4,545

Source: U.S. Bureau of the Census




20 TO 64 POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
20 to 24 years	298	304	327
25 to 29 years	296	285	265
30 to 34 years	256	243	226
35 to 39 years	458	422	385
40 to 44 years	427	439	448
45 to 49 years	323	329	334
50 to 54 years	260	286	302
55 to 59 years	219	210	214
60 to 64 years	222	207	220
20 to 64 years	2,759	2,725	2,721
County Population	4,680	4,619	4,545

Source: U.S. Bureau of the Census




65 AND OLDER POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
65 to 69 years	213	202	198
70 to 74 years	154	149	155
75 to 79 years	128	135	131
80 to 84 years	58	66	74
85 and over	95	104	101
65 years and older	648	656	659
County Population	4,680	4,619	4,545

Source: U.S. Bureau of the Census



**SOCIO-ECONOMIC - INCOME**


**PER CAPITA PERSONAL INCOME  
1992-2001**



<sup>r/</sup> Revised <sup>p/</sup> Preliminary

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

**ANNUAL AVERAGE WAGE - SALARY PER JOB <sup>1/</sup>  
1992-2001**




<sup>r/</sup> Revised <sup>p/</sup> Preliminary

<sup>1/</sup> The employment estimates used to compute the average wage are a job, not person, count.

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released December 2002.

**TOTAL PERSONAL INCOME  
1992-2001**




<sup>r/</sup> Revised <sup>p/</sup> Preliminary

See glossary for definition of Total Personal Income

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

**UNEMPLOYMENT TRENDS  
ANNUAL RATES  
1993-2002**



SOURCE: U.S. Department of Labor, Bureau of Labor Statistics

**AVERAGE MONTHLY TANF AND FOOD STAMPS CASES  
FISCAL YEAR 2003  
(7/02 - 6/03)**


Supplement	Guadalupe Co.		New Mexico	
	Number	Percent*	Number	Percent*
TANF	32	0.8	16,382	0.9
Food Stamps	207	5.1	72,411	4.2

\*Percent of county's estimated 2002 population.

NOTE: Starting July 1, 1999, changes were made in the methodology for counting TANF (Temporary Assistance for Needy Families) caseloads. Caution should be used when comparing data to previous fiscal years.

SOURCE: NM Human Services Department, Income Support Division.


**AVERAGE MONTHLY PERCENT  
TANF AND FOOD STAMP CASES  
FISCAL YEAR 2003**



TANF = Temporary Assistance for Needy Families.

SOURCE: NM Human Services Department Income Support Division.

**AVERAGE MONTHLY MEDICAID  
ELIGIBLES\*  
FISCAL YEAR 2000**



\*Medicaid eligible counts do not include retroactive and late reported eligibility. Figures subject to change.

SOURCE: NM Human Services Department Income Support Division

**ESTIMATED NUMBER AND PERCENT  
OF PEOPLE IN POVERTY  
1999**

Age	Guadalupe Co.		New Mexico	
	Number	Percent*	Number	Percent*
All Ages in Poverty	991	23.7	326,223	18.2
----Children age < 18 years	345	30.3	133,194	26.4
----Related children ages 5-17 years	255	29.0	92,333	25.0

See glossary for definition of poverty. \*Percent of Specified Age Group.

SOURCE: U.S. Census Bureau, "Estimates Model 1999."

# MATERNAL AND INFANT HEALTH -LIVE BIRTHS


## RESIDENT LIVE BIRTHS BY COUNTY OF RESIDENCE AND STATE 1992-2002

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	62	58	50	66	54	54	57	50	67	56	67
New Mexico	27,910	27,831	27,585	26,914	27,216	26,844	27,294	27,133	27,206	27,101	27,708

\*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


## CRUDE BIRTH RATES BY COUNTY OF RESIDENCE AND STATE 1992-2002



	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
—●— Guadalupe Co.	15.1	14.1	12.0	16.0	13.0	13.2	14.1	12.4	14.3	12.1	14.7
—■— New Mexico	17.7	17.2	16.7	16.0	16.0	15.6	15.7	15.6	15.0	14.8	14.9

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

## FERTILITY RATES BY COUNTY OF RESIDENCE AND STATE TOTAL 1992-2002



	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
—●— Guadalupe Co.	75.8	71.5	61.7	83.3	67.7	70.1	75.9	67.8	80.0	68.5	84.8
—■— New Mexico	77.4	76.4	74.3	71.6	71.7	70.7	72.0	72.1	69.5	69.5	70.6

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**MATERNAL AND INFANT HEALTH -LIVE BIRTHS**

**GUADALUPE COUNTY RESIDENT LIVE BIRTHS  
BY AGE OF MOTHER  
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	9	9	9	15	10	20	15	7	16	13	14
20-24	19	22	15	18	14	14	21	17	22	19	25
25-29	12	16	13	10	12	7	12	11	16	8	18
30-34	15	8	9	14	8	11	3	5	5	12	6
35-39	3	3	4	5	8	2	6	8	7	4	3
40-44	4	0	0	4	1	0	0	2	1	0	0

\*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**GUADALUPE COUNTY RESIDENT BIRTH RATES\*\*  
BY AGE OF MOTHER  
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	65.2	63.8	63.8	104.9	68.0	139.9	107.1	50.4	99.4	75.6	89.2
20-24	155.7	181.8	120.0	145.2	110.2	111.1	172.1	142.9	209.5	193.9	225.2
25-29	85.7	123.1	105.7	87.0	106.2	65.4	111.1	100.0	152.4	83.3	204.5
30-34	89.3	48.2	55.2	90.9	54.1	79.1	23.3	41.7	49.5	117.6	66.7
35-39	25.0	24.6	31.7	40.7	63.0	16.7	50.8	69.6	36.8	24.1	21.1
40-44	30.8	0.0	0.0	30.1	7.4	0.0	0.0	14.8	5.7	0.0	0.0

\*2002 data are provisional      \*\*Rate per 1,000 women in specified group

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**NEW MEXICO RESIDENT BIRTH RATES\*\*  
BY AGE OF MOTHER  
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	79.8	80.7	77.2	74.3	70.8	68.0	69.1	67.2	65.5	63.1	62.3
20-24	153.9	150.4	142.2	134.0	135.0	133.6	135.8	137.6	136.1	134.2	132.1
25-29	129.0	131.7	129.7	125.5	131.8	129.8	132.1	128.0	117.0	119.3	123.3
30-34	75.8	74.7	76.5	77.2	76.6	79.1	79.6	82.7	77.2	77.2	79.1
35-39	31.3	30.8	31.3	31.3	32.5	31.5	33.8	34.1	33.3	33.5	35.0
40-44	6.9	5.9	7.0	6.6	7.4	7.0	6.8	7.1	7.6	7.5	7.1

\*2002 data are provisional      \*\*Rate per 1,000 women in specified group

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**UNITED STATES BIRTH RATES\*  
BY AGE OF MOTHER  
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
15-19	60.7	59.6	58.9	56.8	54.4	52.3	51.1	49.6	47.7	45.3	43.0
20-24	114.6	112.6	111.1	109.8	110.4	110.4	111.2	111.0	109.7	106.2	103.6
25-29	117.4	115.5	113.9	112.2	113.1	113.8	115.9	117.8	113.5	113.4	113.6
30-34	80.2	80.8	81.5	82.5	83.9	85.3	87.4	89.6	91.2	91.9	91.5
35-39	32.5	32.9	33.7	34.3	35.3	36.1	37.4	38.3	39.7	40.6	41.4
40-44	5.9	6.1	6.4	6.6	6.8	7.1	7.3	7.4	8.0	8.1	8.3

\* Rate per 1,000 women in specified group.


SOURCE: CDC's, National Center for Health Statistics: NVSR Volume 52, Number 10.

# MATERNAL AND INFANT HEALTH - *LIVE BIRTHS*

RESIDENT LIVE BIRTHS TO MOTHERS UNDER 20 YEARS OF AGE 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	9	9	9	15	11	20	15	7	16	13	15
New Mexico	4,749	4,965	4,964	4,950	4,850	4,789	4,964	4,841	4,728	4,603	4,592

\*2002 data are provisional


SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



RESIDENT LIVE BIRTHS TO SINGLE MOTHERS 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	22	30	23	32	27	33	39	21	42	36	33
New Mexico	11,021	11,522	11,408	11,388	11,347	11,590	12,021	12,236	12,400	12,549	12,984

\*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics




**RESIDENT LIVE BIRTHS  
TO MOTHERS WITH LESS THAN 12 YEARS OF EDUCATION  
1992-2002**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	10	19	9	19	14	15	14	11	13	15	22
New Mexico	7,898	7,806	7,545	7,269	7,415	6,961	7,309	7,342	7,408	7,459	7,679

\*2002 data are provisional      NOTE: Births to mothers of all ages. Some mothers are still in school.

**SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics**




**RESIDENT LIVE BIRTHS  
WITH FIRST TRIMESTER PRENATAL CARE  
1992-2002**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	37	27	33	38	18	30	30	28	44	43	35
New Mexico	16,656	17,344	17,893	18,011	18,264	17,932	17,411	16,790	17,757	17,741	18,293

\*2002 data are provisional

**SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics**



# MATERNAL AND INFANT HEALTH - PRENATAL CARE

## KESSNER INDEX VERSUS KOTELCHUCK INDEX

Both the Kessner Index and the Kotelchuck Index utilize the month of pregnancy in which prenatal care began and the number of prenatal visits. The Kessner Index relies very heavily on the timing of the initiation of prenatal care. For example, inadequate prenatal care is defined as no prenatal care or care beginning in the third trimester. The Kessner Index has been modified by most states to allow for insufficient visits even when care was initiated early. The exact combination varies from state to state so that there is no standard modified Kessner.

The Kotelchuck Index is more sophisticated and uses two dimensions, the timing of the initiation of care and the adequacy of services received (ratio of observed visits to expected visits), which are combined into a single summary index.


## RESIDENT LIVE BIRTHS ADEQUACY OF PRENATAL CARE UTILIZATION (Kotelchuck Index) 1996-2002

	1996	1997	1998	1999	2000	2001	2002*
<b>Inadequate Care</b>							
Guadalupe Co.	20	9	20	13	17	7	24
New Mexico	5,811	5,541	6,284	6,499	6,333	5,854	6,321
<b>Intermediate Care</b>							
Guadalupe Co.	14	22	12	13	21	17	22
New Mexico	4,943	4,845	4,660	4,331	4,122	4,187	4,663
<b>Adequate Care</b>							
Guadalupe Co.	6	14	16	10	11	13	13
New Mexico	8,826	8,417	8,239	8,052	7,915	8,165	8,498
<b>Intensive Care</b>							
Guadalupe Co.	8	1	6	6	14	15	6
New Mexico	6,182	6,341	6,109	5,885	7,097	7,090	6,526

\* 2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS


### PERCENT INADEQUATE PRENATAL CARE 1996-2002



	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	41.7	19.6	37.0	31.0	27.0	13.5	36.9
New Mexico	22.5	22.0	24.8	26.2	24.9	23.1	24.3

\*2002 data are provisional


### PERCENT INTERMEDIATE PRENATAL CARE 1996-2002



	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	29.2	47.8	22.2	31.0	33.3	32.7	33.8
New Mexico	19.2	19.3	18.4	17.5	16.2	16.6	17.9

\*2002 data are provisional


### PERCENT ADEQUATE PRENATAL CARE 1994-2000



	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	12.5	30.4	29.6	23.8	17.5	25.0	20.0
New Mexico	34.3	33.5	32.6	32.5	31.1	32.3	32.7

\*2002 data are provisional

### PERCENT INTENSIVE PRENATAL CARE 1996-2002



	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	16.7	2.2	11.1	14.3	22.2	28.8	9.2
New Mexico	24.0	25.2	24.2	23.8	27.9	28.0	25.1

\*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics





RESIDENT LIVE BIRTHS LEVEL OF PRENATAL CARE (Modified Kessner Index) 1996-2002							
	1996	1997	1998	1999	2000	2001	2002*
<b>Low or No Prenatal Care</b>							
Guadalupe Co.	17	7	14	7	7	5	16
New Mexico	3,203	2,973	3,413	3,665	3,523	3,065	3,356
<b>Mid-Level Prenatal Care</b>							
Guadalupe Co.	19	22	17	24	28	18	28
New Mexico	8,337	8,166	8,551	8,258	8,045	8,190	8,485
<b>High Prenatal Care</b>							
Guadalupe Co.	13	17	23	12	28	29	21
New Mexico	14,331	14,139	13,476	13,025	14,035	14,164	14,284
<b>Unknown Prenatal Care</b>							
Guadalupe Co.	5	8	3	7	4	4	2
New Mexico	1,345	1,566	1,854	2,185	1,603	1,682	1,581

\* 2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS

MODIFIED KESSNER INDEX CLASSIFICATIONS OF LEVELS OF PRENATAL CARE					
NUMBER OF PRENATAL VISITS	MONTH CARE BEGAN				
	1-3	4-6	7-9	NONE (0)	UNKNOWN
9+	H	M	L	L	?
5-8	M	M	L	L	?
1-4	L	L	L	L	L
NONE	L	L	L	(NONE) L	L
UNKNOWN	?	?	L	L	?

HIGH (OPTIMUM) LEVEL **H**      LOW or NO LEVEL **L**  
MID-LEVEL **M**      UNKNOWN LEVEL **?**



SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

# MATERNAL AND INFANT HEALTH - TYPE OF ATTENDANT

## RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

Physician											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	62	56	48	62	50	52	57	46	50	54	46
New Mexico	23,454	22,492	22,309	21,965	22,101	21,387	20,932	19,696	19,407	19,063	19,231
Certified Nurse Midwife											
Guadalupe Co.	0	2	1	1	3	2	0	4	16	2	20
New Mexico	3,977	4,756	4,738	4,474	4,622	5,040	5,912	7,011	7,338	7,619	7,937
Lay Midwife											
Guadalupe Co.	0	0	1	1	0	0	0	0	0	0	0
New Mexico	286	293	292	272	254	240	248	269	290	268	336
Other											
Guadalupe Co.	0	0	0	2	1	0	1	0	1	0	1
New Mexico	193	290	246	203	239	177	202	157	171	151	204

\*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


## PERCENT OF RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

Physician											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	100.0	96.6	96.0	93.9	92.6	96.3	100.7	92.0	74.6	96.4	68.7
New Mexico	84.0	80.8	80.9	81.6	81.2	79.7	76.7	72.6	71.3	70.3	69.4
Certified Nurse Midwife											
Guadalupe Co.	0.0	3.4	2.0	1.5	5.6	3.7	0.0	8.0	23.9	3.6	29.9
New Mexico	14.2	17.1	17.2	16.6	17.0	18.8	21.7	25.8	27.0	28.1	28.6
Lay Midwife											
Guadalupe Co.	0.0	0.0	2.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
New Mexico	1.0	1.1	1.1	1.0	0.9	0.9	0.9	1.0	1.1	1.0	1.2
Other											
Guadalupe Co.	0.0	0.0	0.0	3.0	1.9	0.0	0.0	0.0	1.5	0.0	1.5
New Mexico	0.7	1.0	0.9	0.8	0.9	0.7	0.7	0.6	0.6	0.6	0.7

\*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


## PERCENT OF RESIDENT LIVE BIRTHS DELIVERED BY PHYSICIANS AND CERTIFIED NURSE MIDWIVES GUADALUPE COUNTY 1992-2002\*



SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

# MATERNAL AND INFANT HEALTH - BIRTH WEIGHT

RESIDENT LIVE BIRTHS											
LOW BIRTH WEIGHT BIRTHS (<2500 grams)											
1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Guadalupe Co.	4	5	2	8	8	2	4	6	5	6	5
New Mexico	2,014	2,032	2,023	2,017	2,041	2,086	2,042	2,078	2,180	2,147	2,224
*2002 data are provisional											
SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics											



### Low Birth Weight

Low birth weight (LBW) is defined as an infant weight of less than 2,500 grams (5 1/2 lbs) at the time of delivery. Birth weight is one of the most important factors in determining the survival and health of an infant. Low birth weight is a public health problem since infants born LBW have increased infant mortality, morbidity, incidence of learning disabilities, and medical costs. Nationally, the risk factors for LBW include maternal age of less than seventeen and greater than 34 years, Black race/ethnicity, low socioeconomic status, single marital status, lower levels of maternal education, smoking, inadequate weight gain, low pre-pregnancy weight, and a variety of medical risk factors (Source: Data to Action).

Smoking, which retards fetal growth, is the single largest modifiable risk factor for LBW and infant mortality. It is estimated to account for 20 to 30% of all LBW births.

RESIDENT LIVE BIRTHS						
VERY LOW BIRTH WEIGHT BIRTHS (<1500 grams)						
1994-2002						
	1994-1996		1997-1999		2000-2002*	
	Number	Percent	Number	Percent	Number	Percent
Guadalupe Co.	4	2.4	2	1.2	3	1.6
New Mexico	894	1.1	880	1.1	1,005	1.2
*2002 data are provisional						
SOURCE: NM Department of Health, ONMVRHS						

### High Birth Weight

A woman with a history of gestational diabetes or delivery of a baby weighing >9 pounds is at risk of developing type 2 diabetes. In addition, if the baby has macrosomia (generally defined as a weight of 4000 g or more), he or she is at risk for obesity and also for developing type 2 diabetes later on in life. It should be noted that there is no widely agreed-upon weight definition. Any evaluation of fetal weight must be considered in the context of gestational age.

Sources: "Diabetes in the Life Cycle and Research," Vol. 4. 2003. Editor M. Franz. Published by the American Association of Diabetes Educators, Chicago Illinois. *Diabetes Care Journal*, Supplement 1, January 2003 Vol. (26).

RESIDENT LIVE BIRTHS						
HIGH BIRTH WEIGHT BIRTHS (4090+ grams, 9 pounds)						
1994-2002						
	1994-1996		1997-1999		2000-2002*	
	Number	Percent	Number	Percent	Number	Percent
Guadalupe Co.	9	5.3	8	5.0	6	3.2
New Mexico	4,010	5.2	3,810	4.9	3,674	4.7
*2002 Data are provisional						
SOURCE: NM Department of Health, ONMVRHS						


**MATERNAL AND INFANT HEALTH - MEDICAID BIRTHS / SUPPLEMENTAL PROGRAMS / FEMALE POPULATION**

Medicaid is a Federal-State matching entitlement program that pays for medical assistance. Originating in 1965 as Title XIX of the Social Security Act, it was created as a medical extension of the federally funded cash income assistance program emphasizing care for dependent children and their mothers, the disabled, and the elderly.

Federal and state initiatives intending to expand access to maternity and child health care have resulted in dramatic changes in policy and manner of health care delivery. Federal Omnibus Budget Reconciliation Acts (OBRA) of 1986, 1987, and 1989 required states to grant Medicaid eligibility/coverage for pregnant woman and infants, ultimately, at or below the 133% of federal poverty levels, and allow for eligibility up to 185%. The State of New Mexico followed this progression and complimented the initiatives by extending eligibility up to 225% of federal poverty levels.

Statewide, Medicaid paid for 49% of births.

**PERCENT OF COUNTY AND OF NEW MEXICO RESIDENT BIRTHS BY MEDICAID STATUS**



SOURCE: NM Department of Health, ONMVRHS and Human Services Department *Paid By Medicaid Final Report 2003*

**NEW MEXICO RESIDENT BIRTHS BY MEDICAID STATUS 1999-2000**

Residence	Non-Medicaid Births	Medicaid Paid Births	Total Births
Guadalupe	43	74	117
New Mexico	27,710	26,600	54,310

SOURCE: NM Department of Health, ONMVRHS and Human Services Department *Paid By Medicaid Final Report 2003*

Compared to mothers of children whose births were not paid by Medicaid, Medicaid mothers in New Mexico tended to:


- Be younger;
- Be White Hispanic;
- Have fewer years of education;
- Have lower levels of prenatal care;
- Be outside of the major metropolitan areas;
- Be more at risk for preterm and low weight births.

**WOMEN, INFANT & CHILDREN (WIC) PROGRAM & COMMODITY SUPPLEMENTAL FOOD PROGRAM (CSFP) POTENTIAL ELIGIBLES FISCAL YEAR 2001**

	Estimated Potential Eligible	WIC Recipients	CSFP Recipients	Percent Served
Guadalupe Co.	235	149	0	63.4
New Mexico	96,571	55,934	4,889	63.0

SOURCE: NM Department of Health Family Food & Nutrition Services, WIC Program

**PERCENT OF ALL NEW MEXICO WIC AND CSFP ESTIMATED ELIGIBLES FISCAL YEAR 2001**



SOURCE: NM Department of Health Family Food & Nutrition Services, WIC Program

**GUADALUPE FEMALE POPULATION AGES 15-44 2000, 2001 and 2002**



Age Groups	2000	2001	2002	Age Groups	2000	2001	2002
15 to 19 years	161	172	157	35 to 39 years	190	166	142
20 to 24 years	105	98	111	40 to 44 years	176	183	202
25 to 29 years	105	96	88	15 to 44 years	838	817	790
30 to 34 years	101	102	90				

Source: U.S. Bureau of the Census

RESIDENT INFANT DEATHS NEONATAL AND POSTNEONATAL MORTALITY RATES 1993-1997 & 1998-2002 AVERAGE						
	All Infant Deaths		Neonatal		Postneonatal	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Guadalupe Co.	6.1	6.0	6.1	3.0	0.0	3.0
New Mexico	7.1	6.6	4.2	4.0	2.9	2.6

\* 2002 data are provisional.  
Rate per 1,000 live births in mid year.

SOURCE: NM Department of Health, ONMVRHS



INFANT MORTALITY RATES BY COUNTY OF RESIDENCE FOR SELECTED CAUSES 1993-1997 & 1998-2002 AVERAGE								
	All Infant Deaths		Birth Defects		Short Gestation		SIDS	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Guadalupe Co.	6.1	6.0	0.0	0.0	0.0	0.0	0.0	0.0
New Mexico	7.1	6.6	1.7	1.8	1.3	1.4	1.1	0.6

\*2002 data are provisional

NOTE: Rate per 1,000 live births. Subcategory rates may not add up to all infant death rate due to rounding.  
Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENTS AGES 20 AND YOUNGER SELECTED DIAGNOSES REPORTED TO CHILDRENS CHRONIC CONDITIONS REGISTRY 2000				
Condition	Guadalupe Co.		New Mexico	
	Number	Rate	Number	Rate
Children in Registry	195	1459.6	90,763	1534.5
Congenital Anomalies - All	54	404.2	22,241	376.0
---Neural Tube Defects	*	*	870	14.7
---Cleft Lip/Cleft Palate	10	74.9	2,946	49.8
---Down Syndrome	*	*	997	16.9
---All Other Anomalies	44	329.3	17,428	294.6
Asthma	80	598.8	20,904	353.4

\* = 1-3    \*\* = 0  
Rates per 10,000 population ages 20 years and younger  
NOTE: Children in registry totals include all other conditions not listed above.


SOURCE: NM Department of Health  
Children's Medical Services

CHILD ABUSE CASES NUMBER AND TYPE OF INVESTIGATIONS 2002			
	Substantiated	Unsubstantiated	Total
Guadalupe Co.	11	28	39
New Mexico	4,089	10,067	14,156

**Substantiated** means that through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report has been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

An **unsubstantiated** investigation indicates that the investigator was unable to determine that the allegation(s) was, true.

SOURCE: NM Children, Youth and Families Department, Child Protective Services





Sometimes children have special developmental needs or health concerns that may put them at risk for or cause a developmental delay.

Through the Department of Health's Family Infant Toddler (FIT) Program early intervention services are available to help families who have concerns about the development of their young child (birth to three).

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) ELIGIBILITY STATUS FOR FY03		
ELIGIBILITY	Guadalupe	New Mexico
	NUMBER	NUMBER
At Risk, Environmental	0	665
At Risk, Medical/Biological	6	1,150
Developmental Delay	16	2,937
Established Condition	^	470
The eligibility category of children with an active IFSP during FY 2003 is reported. Children are eligible for FIT Program service through one of four eligibility categories: a developmental delay of 25% or more in one of five developmental areas, an established condition (such as Down's Syndrome) that usually leads to a development delay, or a medical / biological risk or an environmental risk for a developmental delay. ^Statistics not displayed due to less than 5 cases.		
SOURCE: DOH Long Term Services Division Family Infant Toddler (FIT) Program		

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY RACE/ ETHNICITY FOR FY03		
RACE/ ETHNICITY	Guadalupe	New Mexico
	NUMBER	NUMBER
American Indian or Alaskan Native	0	779
Asian or Pacific Islander	0	43
Black or African American (not Hispanic)	0	130
Hispanic or Latino	21	2,696
White (not Hispanic)	^	1,574
The race / ethnicity of children with active IFSP during FY 2003 is reported ^Statistics not displayed due to less than 5 cases.		
SOURCE: DOH Long Term Services Division Family Infant Toddler (FIT) Program		


INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY AGE OF CHILD on 12/1/2002				
AGE OF CHILD	Guadalupe		New Mexico	
	NUMBER	PERCENT	NUMBER	PERCENT
Less Than 1 year	^	^	458	17.9
1 to 2 years	^	^	707	27.6
2 to 3 years	^	^	1048	41.0
3 years and older	0	0.0	345	13.5
Total	6	100.0	2558	100.0
The age of child with an IFSP on December 1st as reported ^Statistics not displayed due to less than 5 cases.				
SOURCE: DOH Long Term Services Division Family Infant Toddler (FIT) Program				

Fiscal Year 2003 = July 01, 2002 to June 30, 2003

**CHILD HEALTH - SCHOOL ENROLLMENT**

PRIVATE AND PUBLIC SCHOOL ENROLLMENT KINDERGARTEN THROUGH 8TH GRADE 2002-2003				
GRADE	Guadalupe Co.		New Mexico	
	PRIVATE	PUBLIC	PRIVATE	PUBLIC
Kindergarten	0	51	3,525	22,638
1st Grade	0	60	2,667	23,706
2nd Grade	0	58	2,738	23,550
3rd Grade	0	66	2,601	24,012
4th Grade	0	57	2,553	24,995
5th Grade	0	62	2,554	25,310
6th Grade	0	60	2,666	25,702
7th Grade	0	53	2,628	25,425
8th Grade	0	73	2,555	25,630
Total	0	540	24,487	220,968



SOURCE: NM Department of Education



HOMESCHOOL STUDENTS ALL GRADES 1998-1999 & 1999-2000				
	1998-1999		1999-2000	
	FALL	SPRING	FALL	SPRING
Guadalupe Co.	14	11	14	14
New Mexico	5,796	5,728	6,080	6,732

NOTE: These are the number of home school students reporting to the New Mexico Department of Education.

SOURCE: NM Department of Education




**NEW MEXICO  
RESIDENT DEATHS  
FOR AGES 1-14 YEARS  
1992-2002**

Year	Guadalupe Co.	New Mexico
1992	1	120
1993	0	133
1994	1	125
1995	0	123
1996	0	128
1997	0	106
1998	0	115
1999	0	100
2000	0	79
2001	0	94
2002*	1	92

\*2002 data are provisional

SOURCE: NM Department of Health  
ONMVRHS




**NEW MEXICO RESIDENT DEATHS  
CAUSES OF DEATH - AGES 1-14 YEARS  
1998-2002\* AVERAGE**

GUADALUPE COUNTY			NEW MEXICO		
Leading Cause	Number	Rate	Leading Cause	Number	Rate
All Causes	1	23.3	All Causes	480	24.4
Other Disorders of Circulatory System	1	23.3	Accidents (Unintentional Injuries)	190	9.7
Accidents (Unintentional Injuries)	0	0.0	---(Motor Vehicle Accidents)	(128)	(6.5)
---(Motor Vehicle Accidents)	(0)	(0.0)	Congenital Malformations	45	2.3
Congenital Malformations	0	0.0	Malignant Neoplasms	39	2.0

\* 2002 data are provisional  
Rate per 100,000 population ages 1-14 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.  
Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



# ADOLESCENT/YOUTH (15-19) YEARS - SCHOOL ENROLLMENT & DROPOUT RATE


PUBLIC HIGH SCHOOL ENROLLMENT GRADES 9-12 SCHOOL YEARS 2000-2003		
SCHOOL YEAR	Guadalupe Co.	New Mexico
2000-2001	306	95,427
2001-2002	287	95,224
2002-2003	271	95,767

SOURCE: NM Department of Education

PRIVATE AND PUBLIC HIGH SCHOOL ENROLLMENT GRADES 9 - 12 SCHOOL YEAR 2000-2001				
GRADE	Guadalupe Co.		New Mexico	
	PRIVATE	PUBLIC	PRIVATE	PUBLIC
9th	0	79	2,454	28,944
10th	0	77	2,092	25,476
11th	0	80	1,901	21,905
12th	0	70	1,690	19,102
Total	0	306	8,137	95,427


SOURCE: NM Department of Education

## PERCENT ENROLLMENT PUBLIC & PRIVATE SCHOOLS GRADES 9-12 2000-2001



SOURCE: NM Department of Education

## HIGH SCHOOL DROPOUT RATE GRADES 9 - 12 SCHOOL YEARS 1995-2002



Rate calculated by dividing the number of dropouts by the number of students enrolled in grades 9-12 on the 40th day of enrollment. A dropout is a student who was enrolled in school the previous year, but did not enroll the following year and did not graduate or meet certain approved exclusions (e.g., transfer, illness).

SOURCE: NM Department of Education

## RESIDENT FALL ENROLLMENT TO NEW MEXICO HIGHER EDUCATION INSTITUTIONS 2001-2002

INSTITUTE	Guadalupe		New Mexico	
	2001	2002	2001	2002
UNM	23	20	19,751	20,497
UNM Gallup	0	0	2,125	2,485
UNM Los Alamos	0	0	824	918
UNM Medical School	1	1	263	268
UNM Taos	0	0	1,190	1,349
UNM Valencia	0	0	1,563	1,717
NMSU	12	15	10,897	11,330
NMSU Alamogordo	0	1	1,300	1,380
NMSU Carlsbad	0	0	1,028	1,108
NMSU Dona Ana	2	4	4,342	4,744
NMSU Grants	0	0	619	640
ENMU	9	14	3,144	3,120
ENMU Roswell	7	1	3,046	3,536
ENMU Ruidoso	0	0	752	751
NMHU	51	36	2,987	2,841
WNMU	1	5	2,109	2,277
Other NM Institutions*	263	304	38,739	41,773

SOURCE: NM Commission on Higher Education



NOTE: Not all resident students report their original county of origin. In addition, out of state students are not included. Resident students attending school out of state are also not included. Counts reflect all students at a specific site, including extended services enrollments.

\*Includes all other institutions of higher education not listed above, including community and technical colleges.

PERSONS 19 AND UNDER KILLED OR INJURED AS VEHICLE OCCUPANTS IN CRASHES BY SEATBELT STATUS 2002						
	KILLED			INJURED		
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Guadalupe Co.	1	1	0	6	0	6
New Mexico	81	59	22	6,407	974	5,433


NOTE: Number excludes pedestrians, bicyclists, motorcycleists, and unknown.

SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau



NUMBER OF PERSONS ARRESTED FOR DRIVING WHILE IMPAIRED (DWI) 2001 & 2002				
	19 Years and Younger		All Persons	
	2001	2002	2001	2002
Guadalupe Co.	6	5	56	62
New Mexico	3,617	3,593	21,576	21,603

SOURCE: NM Department of Transportation, Traffic Safety Bureau



# ADOLESCENT/YOUTH (15-19) YEARS - NATALITY/MORTALITY

## NEW MEXICO RESIDENT LIVE BIRTHS TO MOTHERS AGE 15-17 YEARS 1998-2002\* AVERAGE


	Number	Rate
Guadalupe Co.	26	52.0
New Mexico	8,687	40.0

\*2002 data are provisional

Rate is per 1,000 female population ages 15-17 years. Rate numerator was births to mothers age 15-17 years for 1998-2002, divided by 5; denominator was 2000 female population age 15-17.

SOURCE: NM Department of Health  
ONMVRHS

## NEW MEXICO RESIDENT BIRTH RATES FOR MOTHERS AGES 15-17 YEARS 1970, 1980, 1990, & 2000



SOURCE: NM Department of Health  
Office of New Mexico Vital Records and Health Statistics


## NEW MEXICO RESIDENT DEATHS FOR AGES 15-19 YEARS 1992-2002

Year	Guadalupe Co.	New Mexico
1992	0	117
1993	0	132
1994	0	128
1995	0	150
1996	0	158
1997	0	118
1998	0	144
1999	0	150
2000	1	143
2001	0	107
2002*	1	136

\*2002 data are provisional

SOURCE: NM Department of Health  
ONMVRHS

## NEW MEXICO RESIDENT DEATH RATES FOR AGES 15-19 YEARS 1998-2002



SOURCE: NM Department of Health  
Office of New Mexico Vital Records and Health Statistics

## NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 15-19 YEARS 1998-2002\* AVERAGE

GUADALUPE CO.			NEW MEXICO		
Cause	Number	Rate	Cause	Number	Rate
All Causes	2	109.6	All Causes	680	93.3
Accidents (Unintentional Injuries)	1	54.8	Accidents (Unintentional Injuries)	312	42.8
---(Motor Vehicle Accidents)	(0)	(0.0)	---(Motor Vehicle Accidents)	(235)	(23.2)
Assault (Homicide)	0	0.0	Assault (Homicide)	117	16.0
Intentional Self-Harm (Suicide)	0	0.0	Intentional Self-Harm (Suicide)	117	16.0
Malignant Neoplasms	0	0.0	Malignant Neoplasms	35	4.8


\* 2002 data are provisional

Rate per 100,000 population ages 15-19 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**GASTROINTESTINAL DISEASES**




**HEPATITIS A  
NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
1994-1996	1	2,254
1997-1999	0	557
2000-2002	0	141

Data from NETSS\*

**SOURCE: NM Department of Health  
Office of Epidemiology**




**CAMPYLOBACTER INFECTION  
NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
1994-1996	1	1,117
1997-1999	1	1,093
2000-2002	0	1,059

Data from NETSS\*

**SOURCE: NM Department of Health  
Office of Epidemiology**




**SALMONELLOSIS  
NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
1994-1996	2	1,016
1997-1999	3	984
2000-2002	1	856

Data from NETSS\*

**SOURCE: NM Department of Health  
Office of Epidemiology**



**SHIGELLOSIS  
NUMBER OF CASES**


Year	Guadalupe Co.	New Mexico
1994-1996	1	1,900
1997-1999	0	786
2000-2002	1	560

Data from NETSS\*

**SOURCE: NM Department of Health  
Office of Epidemiology**

\*National Electronic Telecommunication System for Surveillance (NETSS)

**BLOODBORNE DISEASES**




**HEPATITIS B NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
1994-1996	0	905
1997-1999	1	736
2000-2002	1	419

Data from NETSS\*

**SOURCE: NM Department of Health Office of Epidemiology**

\*National Electronic Telecommunication System for Surveillance (NETSS)




**AIDS NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
1994-1996	0	559
1997-1999	0	357
2000-2002*	0*	270*

NOTE: \*2002 counts may be low due to delays in reporting.

**SOURCE: New Mexico HIV/AIDS**

**RESPIRATORY DISEASES**




**PERTUSSIS NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
1994-1996	0	247
1997-1999	3	453
2000-2002	0	426

Data from NETSS\*

**SOURCE: NM Department of Health Office of Epidemiology**



**TUBERCULOSIS NUMBER OF CASES**


Year	Guadalupe Co.	New Mexico
1997-1998	0	139
1999-2000	0	110
2001-2002	0	111

Data from TIMS\*\*

**SOURCE: NM Department of Health Infectious Disease Bureau**

\*\*Tuberculosis Information Management System (TIMS)


SEXUALLY TRANSMITTED DISEASES



**CHLAMYDIA  
NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
2001	25	6,669
2002	28	7,419


Data from STD MIS\*  
SOURCE: NM Department of Health  
Infectious Disease Bureau



**GONORRHEA  
NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
2001	3	1,090
2002	3	1,472

Data from STD MIS\*  
SOURCE: NM Department of Health  
Infectious Disease Bureau



**SYPHILIS  
NUMBER OF CASES**

Year	Guadalupe Co.	New Mexico
2001	0	19
2002	0	39

Data from STD MIS\*  
SOURCE: NM Department of Health  
Infectious Disease Bureau

NOTE: The scales on the above graphs are not comparable.

\*Sexually Transmitted Diseases Management Information Systems (STD MIS)

# INJURY - MOTOR VEHICLE CRASHES




**NUMBER OF FATAL AND INJURY CRASHES  
VEHICLE MILES TRAVELED, LICENSED DRIVERS AND ECONOMIC LOSS  
2001**

	NUMBER OF CRASHES			Licensed Drivers	Economic Loss *1000	100 MVM Traveled
	Total	Fatal	Injury			
Guadalupe Co.	326	12	119	2,978	\$54,646	5.1
New Mexico	50,236	415	17,879	1,225,793	\$3,537,921	227.1

NOTE: MVM = Million Vehicle Miles

SOURCE: NM Department of Transportation, Traffic Safety Bureau  
"New Mexico Traffic Crash Information", 2001 Report.





**ALL PERSONS KILLED OR INJURED AS VEHICLE OCCUPANTS  
IN CRASHES BY SEATBELT STATUS  
2002**

	KILLED			INJURED		
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Guadalupe Co.	10	7	3	111	23	88
New Mexico	349	236	113	24,771	2,818	21,953

NOTE: Number excludes pedestrians, bicyclists, motorcyclists, and unknown.

SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau.





**ALCOHOL RELATED CRASHES  
NEW MEXICO - 2001**


- 43 percent of all fatal crashes involved alcohol.
- A person died in an alcohol-involved crash every 44 hours.
- A person was injured in an alcohol-involved crash every 174 minutes.
- An alcohol-involved crash occurred every 147 minutes.

ALCOHOL INVOLVED CRASHES PERSONS INVOLVED AND DWI CONVICTIONS 2002						
	CRASHES		PERSONS INVOLVED			
	Fatal	Injury	Killed	Injured	DWI Conviction*	DWI Rate
Guadalupe Co.	0	11	0	15	32	10.7
New Mexico	198	1,774	221	2,921	12,544	10.1

\*DWI convictions are those handed down during year listed. The citations which resulted in these convictions could have been issued prior to these years. Convictions are counted by county of driver's residence, not the county in which the citation was issued.

SOURCE: NM Department of Transportation, Traffic Safety Bureau "Driving While Impaired", 2002 Report.

**DRIVING WHILE IMPAIRED\* (DWI) CONVICTION RATE  
1995-2002**



\*DWI convictions are those handed down during year listed. The citations which resulted in these convictions could have been issued prior to these years. Convictions are counted by county of driver's residence, not the county in which the citation was issued.

SOURCE: NM Department of Transportation, Traffic Safety Bureau "Driving While Impaired", various years.

## INJURY - BY MECHANISM


GUADALUPE COUNTY INJURY DEATHS BY MECHANISM 1999-2001			
Mechanism of Injury	Number of Deaths in 3 Years	Age Adjusted Rate/100,000* Per Year	New Mexico Age Adjusted Rate/100,000* Per Year
Cut/pierce	0	0.0	1.8
Drowning	0	0.0	1.4
Fall	1	5.4	10.2
Fire/burn	1	6.0	1.0
Firearm	2	13.0	15.7
Motor Vehicle Traffic	4	31.8	22.1
Poisoning	1	7.7	17.0
Other**	0	0.0	14.0
All Injury	9	63.9	83.2

NON-FATAL INJURY HOSPITALIZATIONS 1998-2000		
Number/Rate	Guadalupe County	New Mexico
Total Number of Hospital Discharges in 3 Years	103	30,596
Age Adjusted Rate per 100,000* Population per Year	721.2	585.2

NOTE: Injury as the principal diagnosis of discharge.  
\* Rates are adjusted to the 2000 U. S. Standard Population.

**SOURCE: NM Health Policy Commission**

**GUADALUPE COUNTY  
INJURY DEATH RATES BY MECHANISM  
1999-2001**



Note: Injury categories are from the "Preliminary External Cause of Injury Mortality Matrix for ICD-10," June 12, 2001 by Centers for Disease Control and Prevention, National Center for Injury Prevention and Control.

\*Age-adjusted death rate adjusted to the 2000 U.S standard population. Age adjusted death rates weight the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

\*\* Other includes machinery, cyclist, pedestrian, natural /environmental, struck by/against, suffocation, other specified and unspecified categories.

New Mexico Department of Health, Office of Epidemiology, Injury Epidemiology Unit  
Source: Office of New Mexico Vital Records and Health Statistics

CANCER INCIDENCE AMONG MALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE				
SITE	Guadalupe		New Mexico	
	NUMBER	RATE	NUMBER	RATE
All Cancers	62	407.7	23,565	468.7
Stomach	^	^	515	10.6
Colon and Rectum	8	54.3	2,482	50.4
Liver and Intrahepatic Bile Duct	^	^	412	8.2
Gallbladder	^	^	52	1.1
Pancreas	^	^	570	11.7
Lung and Bronchus	9	62.5	3,053	62.2
Melanomas of the Skin	^	^	974	18.7
Breast	^	^	51	1.0
Prostate	15	97.2	7,320	145.5
Urinary Bladder	^	^	1,324	27.4
Kidney and Renal Pelvis	^	^	741	14.3
Non-Hodgkins Lymphomas	^	^	912	17.8
Leukemias	^	^	727	14.2
All Other Cancers	15	96.9	4,432	85.3

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.  
 ~ Statistic could not be calculated.  
 ^ Statistic not displayed due to less than 5 cases.

SOURCE: New Mexico Tumor Registry, University of New Mexico

**Colorectal Cancer Screening and Early Detection**

Screening tests can reduce deaths from colorectal cancer by identifying polyps, which are tiny growths inside the colon, before they become cancerous. Screening also detects early cancers when treatment is most effective and survival rates are high.

SOURCE: [www.cdc.gov](http://www.cdc.gov)


**Prostate Cancer Fact**

The American Cancer Society estimates that in 2003, 220,900 new cases of prostate cancer will be diagnosed and that 28,900 men will die of the disease in the United States.

Two methods for detecting prostate cancer are commonly used by clinicians:

- 1) Digital rectal examination (DRE)
- 2) Prostate-specific antigen (PSA)

SOURCE: [www.cdc.gov](http://www.cdc.gov)



**CHRONIC DISEASE - CANCER DATA, FEMALES**

CANCER INCIDENCE AMONG FEMALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE				
SITE	Guadalupe		New Mexico	
	NUMBER	RATE	NUMBER	RATE
All Cancers	57	358.5	21,575	353.8
Stomach	^	^	333	5.5
Colon and Rectum	7	41.4	2,173	35.6
Liver and Intrahepatic Bile Duct	^	^	211	3.4
Gallbladder	^	^	113	1.8
Pancreas	^	^	543	8.9
Lung and Bronchus	^	^	2,208	36.0
Melanomas of the Skin	^	^	745	12.2
Breast	22	137.5	7,067	116.5
Cervix	^	^	566	9.3
Corpus and Uterus, NOS	^	^	1,116	18.3
Urinary Bladder	^	^	484	7.9
Kidney and Renal Pelvis	^	^	472	7.7
Non-Hodgkins Lymphomas	^	^	759	12.5
Leukemias	^	^	532	8.6
All Other Cancers	13	79.4	4,253	69.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.  
 ~ Statistic could not be calculated.  
 ^ Statistic not displayed due to less than 5 cases.

**SOURCE: New Mexico Tumor Registry, University of New Mexico**

**Breast Cancer Screening**

According to the American Cancer Society, an estimated 211,300 new invasive cases of breast cancer are expected to occur among women in the United States during 2003. Mammography is the best way to detect breast cancer in its earliest, most treatable stage, an average of 1.7 years before a woman can feel the lump. Mammography also locates cancers too small to be felt during a clinical breast examination.


SOURCE: www.cdc.gov

**Cervical Cancer Screening**

Cervical cancer is nearly 100 percent preventable, yet according to the American Cancer Society, in 2003, an estimated 12,200 new cases of invasive cervical cancer will be diagnosed and about 4,100 women will die of the disease. The occurrence of deaths from cervical cancer has declined significantly over the past 40 years. This decline is largely attributed to the effectiveness of Pap test screening in detecting precancerous lesions and early stage cervical cancer.

SOURCE: www.cdc.gov

**TOP FIVE CANCERS AMONG NEW MEXICO FEMALES  
INCIDENCE RATES  
1994-2000 AGGREGATE**



^ Statistic not displayed due to less than 5 cases.

**SOURCE: New Mexico Tumor Registry, University of New Mexico**

**MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC)**

►Hospitals use a classification scheme, called Major Diagnostic Categories (MDC), to group the diagnoses of patients upon their discharge from the hospital. Data shown in the following pages are based on a modification of the Major Diagnostic Categories. The Modified Major Diagnostic Categories (MMDCs) separates injuries and neoplasms into their own unique groupings while conventional MDCs distribute these diagnoses across other categories, which obscures their impact.


**METHODOLOGY NOTES:**

- The size of the county’s population and the population demographics, such as average age of residents, should be taken into account in interpreting reported data.
- Indian Health Service facilities do not report discharge data to the New Mexico Health Policy Commission, the state agency that maintains the hospital discharge database. As such, counties with large Native American populations may have artificially lower rates.
- Only hospitalization to New Mexico hospitals are included. Counties bordering other states may have a significant number of hospitalization in other states.


**HOSPITAL INPATIENT DISCHARGE DATA - ALL AGES  
MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDCs)  
1999-2001**

MMDC	1999		2000		2001	
	Guadalupe Co.	New Mexico	Guadalupe Co.	New Mexico	Guadalupe Co.	New Mexico
01: Nervous System	16	6,319	28	6,416	22	6,799
02: Eye Diseases	2	639	2	386	0	205
03: Ear, Nose, Mouth, Throat	4	1,879	5	1,612	5	1,702
04: Respiratory System	61	17,875	85	15,151	69	15,329
05: Circulatory System	54	20,349	87	20,923	49	20,629
06: Digestive System	51	12,425	71	13,099	76	12,921
07: Hepatobiliary System	16	5,084	31	5,306	39	5,343
08: Musculoskeletal System	25	7,400	16	7,206	22	7,293
09: Skin, Subcutaneous, Breast	8	2,272	24	2,392	14	2,583
10: Endocrine, Metabolic	12	4,658	25	4,726	16	5,103
11: Kidney & Urinary Tract	17	4,789	27	4,787	32	5,186
12: Male Reproductive System	2	772	1	662	3	767
13: Female Reproductive System	7	3,330	6	3,496	16	3,542
14: Pregnancy, Childbirth	46	26,121	76	26,521	74	26,606
15: Newborns, Neonates	40	23,859	72	24,401	62	24,567
16: Blood & Blood Forming-Organs	3	1,052	13	1,170	2	1,253
17: Myeloproliferative Diseases	25	8,616	36	8,345	38	8,118
18: Infectious Diseases	3	2,128	8	1,795	4	1,915
19: Mental Diseases	11	8,878	12	9,064	21	9,485
20: Alcohol/ Drug Abuse	8	3,295	5	2,957	10	2,909
21: Injuries & Poisonings	39	14,682	43	14,193	36	14,113
22: Burns	4	270	0	233	2	229
23: Factors Influencing Health	9	4,148	19	4,274	16	4,387
24: Multiple Trauma	0	0	0	0	0	0
25: HIV	0	148	0	96	0	86

SOURCE: NM Health Policy Commission



### NEW MEXICO ASTHMA DISCHARGE DATA BY COUNTY 1998-2000



**SOURCE: NM Health Policy Commission**

### HOSPITAL DISCHARGES BY PRIMARY PAYER 1999 & 2000

Payee	Guadalupe		New Mexico	
	1999	2000	1999	2000
Medicare	206	309	47,144	47,959
Medicaid	109	165	39,147	39,468
Private Insurance	117	177	71,401	74,271
Uninsured	29	34	12,354	13,859
Others	7	8	5,431	4,738
<b>Total Discharges</b>	<b>468</b>	<b>693</b>	<b>175,477</b>	<b>180,295</b>

**SOURCE: NM Health Policy Commission**

### NEW MEXICO ASTHMA HOSPITAL DISCHARGES\* BY COUNTY 1998-2000

	Number	Rate
Guadalupe Co.	10	7.8
New Mexico	4,936	9.4

\*Primary discharges from non-Federal Hospitals  
Average rates per 10,000 population per year.

**SOURCE: NM Health Policy Commission**

ESTIMATED DIABETES PREVALENCE AMONG NEW MEXICO ADULTS 2002*			
County	2002 Adult Population	Number of Adults with Diabetes	Percentage of Adults with Diabetes
Bernalillo	430,698	38,586	9.0%
Catron	2,844	228	8.0%
Chaves	43,413	3,806	8.8%
Cibola	18,460	1,960	10.6%
Colfax	10,765	951	8.8%
Curry	31,536	2,672	8.5%
De Baca	1,666	142	8.5%
Dona Ana	127,663	12,049	9.4%
Eddy	37,146	3,195	8.6%
Grant	22,677	2,022	8.9%
Guadalupe	3,513	352	10.0%
Harding	616	55	8.9%
Hidalgo	3,801	344	9.1%
Lea	39,662	3,451	8.7%
Lincoln	15,533	1,269	8.2%
Los Alamos	13,763	1,075	7.8%
Luna	18,007	1,639	9.1%
McKinley	47,057	5,630	12.0%
Mora	3,960	398	10.0%
Otero	43,945	3,827	8.7%
Quay	7,524	646	8.6%
Rio Arriba	29,687	3,093	10.4%
Roosevelt	13,160	1,109	8.4%
Sandoval	68,949	6,313	9.2%
San Juan	82,679	8,169	9.9%
San Miguel	22,029	2,197	10.0%
Santa Fe	103,491	9,359	9.0%
Sierra	10,497	859	8.2%
Socorro	13,177	1,246	9.5%
Taos	23,651	2,246	9.5%
Torrance	11,901	1,030	8.7%
Union	2,962	251	8.5%
Valencia	48,121	4,450	9.2%
<b>New Mexico**</b>	<b>1,354,553</b>	<b>120,555</b>	<b>8.9%</b>

\***County estimates were derived in the following manner:** The Behavioral Risk Factor Surveillance System (BRFSS, 2002), a telephone survey of adults' (age 18 and over) health in New Mexico, was utilized to generate the racial/ethnic-specific diagnosed diabetes prevalence rates for the entire state. County populations were then obtained from the US Census Bureau (2002) by racial/ethnic group. The BRFSS rates were applied to these groups, generating an estimate of the number of American Indians, non-Hispanic Whites, Hispanics and Others (Asian/Pacific Islanders, non-Hispanic Blacks, and other) with diagnosed diabetes. The numbers were then combined to yield a total estimate of adults in each county with diagnosed diabetes. For those with undiagnosed diabetes, estimates by racial/ethnic group from NHANES III (National Health and Nutrition Examination Survey) were obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate.

\*\***State estimates were derived in the following manner:** The Behavioral Risk Factor Surveillance System (BRFSS, 2002) was utilized to generate an overall estimate of diagnosed diabetes among New Mexican adults. That is, in 2002, an estimated 6.2% of New Mexican adults indicated they had been diagnosed with diabetes. An estimate for undiagnosed diabetes (from NHANES III data) was obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate. Note: adding up the county estimates will not result in the state estimate. For the state estimate, there was no initial stratification by race/ethnicity, it was simply a calculation of those with diabetes (all races) divided by those responding to the question.

Source: Department of Health, Diabetes Prevention & Control Program

# AGING - INPATIENT HOSPITALIZATION AGES 65+ YEARS

## HOSPITAL INPATIENT DISCHARGE DATA MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC) GUADALUPE COUNTY 1999-2001

MMDC	1999			2000			2001		
	65+	All Ages	% All Ages	65+	All Ages	% All Ages	65+	All Ages	% All Ages
01: Nervous System	9	16	56.3	21	28	75.0	9	22	40.9
02: Eye Diseases	2	2	100.0	0	2	0.0	0	0	--
03: Ear, Nose, Mouth, Throat	3	4	75.0	3	5	60.0	1	5	20.0
04: Respiratory System	32	61	52.5	46	85	54.1	41	69	59.4
05: Circulatory System	38	54	70.4	61	87	70.1	32	49	65.3
06: Digestive System	23	51	45.1	28	71	39.4	34	76	44.7
07: Hepatobiliary System	5	16	31.3	13	31	41.9	11	39	28.2
08: Musculoskeletal System	10	25	40.0	9	16	56.3	7	22	31.8
09: Skin, Subcutaneous, Breast	3	8	37.5	13	24	54.2	3	14	21.4
10: Endocrine, Metabolic	3	12	25.0	14	25	56.0	13	16	81.3
11: Kidney & Urinary Tract	9	17	52.9	11	27	40.7	10	32	31.3
12: Male Reproductive System	2	2	100.0	1	1	100.0	3	3	100.0
13: Female Reproductive System	0	7	0.0	0	6	0.0	2	16	12.5
14: Pregnancy, Childbirth	0	46	0.0	0	76	0.0	0	74	0.0
15: Newborns, Neonates	0	40	0.0	0	72	0.0	0	62	0.0
16: Blood & Blood-Forming Organs	1	3	33.3	8	13	61.5	0	2	0.0
17: Myeloproliferative Diseases	12	25	48.0	22	36	61.1	14	38	36.8
18: Infectious Diseases	3	3	100.0	4	8	50.0	3	4	75.0
19: Mental Diseases	3	11	27.3	0	12	0.0	0	21	0.0
20: Alcohol / Drug Abuse	1	8	12.5	1	5	20.0	3	10	30.0
21: Injuries & Poisonings	10	39	25.6	18	43	41.9	15	36	41.7
22: Burns	0	4	0.0	0	0	--	0	2	0.0
23: Factors Influencing Health	5	9	55.6	14	19	73.7	6	16	37.5
24: Multiple Trauma	0	0	--	0	0	--	0	0	--
25: HIV	0	0	--	0	0	--	0	0	--

SOURCE: New Mexico Health Policy Commission

### GUADALUPE COUNTY HOSPITAL INPATIENT DISCHARGE STATUS FOR AGE 65 YEARS AND OLDER 1999-2001



	1999	2000	2001
Routine Discharge	126	176	147
Transfer-Hospital	10	22	15
Transfer-Skilled Nursing Facility	11	13	3
Transfer-Intermediate Care Facility	3	2	3
Transfer-Other	5	25	15
Transfer-Home Care	10	35	15
Left Against Medical Advice	0	0	1
Died	13	16	12
Other	0	1	0
<b>TOTAL DISCHARGED</b>	<b>178</b>	<b>290</b>	<b>211</b>

SOURCE: New Mexico Health Policy Commission



**Discharged**

### TOP FIVE CATEGORIES OF HOSPITALIZATION FOR AGES 65+ 1999-2001



SOURCE: NM Health Policy Commission


ADULT ABUSE CASES NUMBER AND TYPE OF INVESTIGATION Annual 2002					
Residence	Substantiated Investigations		Unsubstantiated Investigations		Total Investigations
	Number	Percent	Number	Percent	Number
Guadalupe Co.	6	46.2	7	53.9	13
New Mexico	1475	29.2	3569	70.8	5,044

Source: NM Children, Youth and Families Department  
Protective Services Division Fact Book, Fourth Quarter & Annual 2002



NEW MEXICO RESIDENT DEATHS AGES 65 YEARS AND OLDER 1992-2002		
Year	Guadalupe Co.	New Mexico
1992	32	7,600
1993	27	7,971
1994	31	8,368
1995	20	8,628
1996	21	8,663
1997	28	8,772
1998	38	9,100
1999	31	9,515
2000	35	9,441
2001	31	9,864
2002*	34	9,840

\*2002 data are provisional  
SOURCE: NM Department of Health  
ONMVRHS



NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 65 YEARS AND OLDER 1998-2002* AVERAGE					
GUADALUPE COUNTY			NEW MEXICO		
Cause	Number	Rate	Cause	Number	Rate
All Causes	169	5216.0	All Causes	47,760	4500.9
Diseases of Heart	65	1998.3	Diseases of Heart	13,459	1268.4
Malignant Neoplasms	34	1050.2	Malignant Neoplasms	10,313	971.9
Chronic Lower Respiratory Diseases	15	467.4	Chronic Lower Respiratory Diseases	3,630	342.1
Cerebrovascular Diseases	9	285.0	Cerebrovascular Diseases	3,407	321.1
Influenza and Pneumonia	6	197.4	Diabetes Mellitus	1,969	185.5

\* 2002 data are provisional  
Rate per 100,000 population ages 65 years and older. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.  
Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.  
SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

# GENERAL MORTALITY


## NEW MEXICO RESIDENT DEATHS COUNTY AND STATE TOTALS 1992-2002

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Guadalupe Co.	45	38	46	27	32	36	54	43	49	40	53
New Mexico	11,130	11,689	12,106	12,500	12,456	12,613	12,858	13,433	13,384	14,016	14,114

\* 2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

## NEW MEXICO RESIDENTS DEATH RATES 1992-2002



\* 2002 data are provisional

SOURCE: NM Department of Health  
Office of New Mexico Vital Records and Health Statistics

## NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH 1998-2002\* AVERAGE

GUADALUPE COUNTY			NEW MEXICO		
All Races/All Ages	Number	Rate	All Races/All Ages	Number	Rate
All Causes	239	1021.4	All Causes	67,805	745.5
Diseases of Heart	81	345.0	Diseases of Heart	16,186	178.0
Malignant Neoplasms	44	188.3	Malignant Neoplasms	14,440	158.8
Chronic Lower Respiratory Diseases	16	69.0	Accidents (Unintentional Injuries)	4,759	52.3
Accidents (Unintentional Injuries)	16	68.8	---( Motor Vehicle Accidents)	(1,904)	(20.9)
---( Motor Vehicle Accidents)	(7)	(29.9)	Chronic Lower Respiratory Diseases	4,125	45.3
Cerebrovascular Diseases	10	43.7	Cerebrovascular Diseases	3,890	42.8

\* 2002 data are provisional

Rate per 100,000 population. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999.

Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

CHILDREN UNDER 6 WITH ELEVATED BLOOD LEAD LEVELS OF THOSE CHILDREN SCREENED, 2001-2002		
	2001	2002
<b>Guadalupe Co.</b>		
Number of Children with Elevated Blood Lead Levels	0	0
<b>New Mexico</b>		
Number of Children Screened	2,691	2,876
Number of Children with Elevated Blood Lead Levels	37	35
Percent of Children with Elevated Blood Lead Levels	1.4	1.2



**NOTE:** Elevated Blood Lead Levels is defined as  $\geq 10 \mu\text{g/dl}$  of blood.

In Guadalupe County, 39.5% of the houses were built prior to 1950. More than 27% pre-1950 housing in an area is considered a greater than average risk for lead poisoning in children.

- Lead poisoning is the number one preventable environmental health problem for children under 6 years.
- Risk factors for lead poisoning include older housing, poverty, and adult occupational exposure to lead.
- The only way to determine a child's lead level is with a blood lead test.
- The national estimate (1997) of children with an elevated blood lead level is 4.4%.<sup>2</sup>

It is estimated that 60% to 80% of children with elevated blood lead levels are in the Medicaid population.<sup>2</sup>

Note: Screening rates have declined significantly in New Mexico (NM) since the mid 1990's.



<sup>1</sup>  $\geq 10 \mu\text{g/dl}$  of blood (greater than or equal to 10 micrograms per deciliter of blood), the Centers for Disease Control and Prevention (CDC) identified level of concern.

<sup>2</sup> General Accounting Office (GAO) Report, 1999.

SOURCE: NM Department of Health, Office of Epidemiology

**COMMUNITY RESOURCES**



**HOSPITALS AND PRIMARY CARE FACILITIES**

HOSPITAL / PRIMARY CARE FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP
Guadalupe County Hospital	(505)472-3417	535 Lake Drive	Santa Rosa	NM	88435

SOURCE: NM Department of Health, District IV Health Office

**HEALTH CARE CLINICS**

FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP
Health Centers of NNM	(505)427-5063	La Loma Route	Anton Chico	NM	87711
Santa Rosa Medical Clinic	(505)472-3417	535 Lake Drive	Santa Rosa	NM	88435

SOURCE: NM Department of Health, District IV Health Office

**GUADALUPE COUNTY  
SELECTED COMMUNITY PARTNERS FOR PUBLIC HEALTH**

COMMUNITY PARTNER	PHONE
Domestic Violence Task Force	
Guadalupe County DWI Council	
Guadalupe County Health Council	472-4567
Guadalupe County MCH Council	472-5938
Guadalupe County Youth Health	

SOURCE: NM Department of Health, District IV Health Office

**LICENSED HEALTH PROFESSIONALS  
BY COUNTY OF LICENSE  
2002**

	Guadalupe Co.	New Mexico
Medical Doctor	3	5,809
Medical Doctor Resident	0	1,144
Physician Assistant	0	287
Nurse (RN & LPN)	19	19,575
Certified Nurse Midwives	0	148
Licensed Midwives	0	79

SOURCE: New Mexico Health Policy Commission

**ACTIVE EMERGENCY MEDICAL SERVICES  
PERSONNEL BY LEVEL  
AS OF AUGUST 20, 2003**

Level	Guadalupe Co.	New Mexico
First Responder	1	760
Dispatcher	0	398
Dispatcher-Instructor	0	16
EMT-Basic	12	3,321
EMT-Intermediate	2	1,190
EMT-Paramedic	3	955
Total	18	6,641

NOTE: There are personnel with current active licenses at more than one level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health



**ACTIVE EMERGENCY MEDICAL  
SERVICES PERSONNEL BY GENDER  
AS OF AUGUST 20, 2003**

Gender	Guadalupe Co.	New Mexico
Male	5	4,574
Female	13	1,995
Unknown	0	72
Total	18	6,641

NOTE: There are personnel with current active licenses at more than on level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health

## GLOSSARY

**AGE-ADJUSTED**—Weights the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

**CHILDREN'S CHRONIC CONDITIONS REGISTRY**—A registry of data on children with special needs; data are from programs and physicians who provide services to these children. Maintained by the New Mexico Department of Health.

**COMPARABILITY RATIOS**—With each revision of the *International Classification of Diseases (ICD)*, discontinuities are created in cause-of-death trend data. The classification and rule changes have a substantial impact as deaths that may have been coded to one category in the previous revision are coded to another category in the new revision. To compensate for these shifts, comparability (also called bridge-coding) studies are undertaken to determine the extent of comparability between the two revisions. As a result of these studies, comparability ratios are developed that reflect the degree of comparability between the two revisions.

**CRUDE BIRTH RATE**—Number of live births per 1,000 population.

**CRUDE DEATH RATE**—Number of deaths per 1,000 or 100,000 population.

**D.W.I.**—Driving While Impaired; the current legal limit for blood alcohol concentration is .08 for 21 and older, and .02 for younger than 21.

**FERTILITY RATE**—Number of live births per 1,000 women 15-44 years of age.

**FOOD STAMP PROGRAM (FSP)**—The FSP is an entitlement program based on Federal rules and mandates. The purpose of the FSP is to increase food purchasing power and to supplement the nutrition level of eligible households. In addition, the FSP provides a nutrition education program to eligible households. Eligibility for participation in the FSP is based on a gross income test at 130% of the Federal Poverty Guidelines for the size of the household. Eligibility is also based on a resource test; the household's liquid and nonliquid resources cannot exceed \$2000.00. Food stamp benefits are issued on a monthly basis through an electronic benefit transfer (EBT) system. The FSP has a change reporting and work requirement for adults in the household. Failure to report changes or comply with work requirements results in a reduction or closure of Food Stamp benefits. Under contract with another agency, the Department provides a free nutrition education program for Food Stamp applicants and recipients.

**HOSPITAL DISCHARGE DATA**—Data, such as diagnosis, gender, age, residence, on hospital inpatient discharges; collected by the NM Health Policy Commission from licensed, non-federal general and specialty hospitals.

**INCIDENCE**—Measure of the frequency at which new events/cases of a disease or condition occur in a specified population over a given time period.

**INCIDENCE RATE**—Number of new cases of disease/condition over a given time period (often, a year) that occur in a population at risk for that disease/condition (ergo number of new lung cancer cases per 100,000 persons in a year). An estimate of the risk of developing a disease/condition during a specified time period.

**INFANT DEATH**—Death of an infant under one year of age (neonatal + postneonatal).

**INFANT MORTALITY RATE**—Number of infant deaths per 1,000 (or 100,000) live births.

**LIVE BIRTH**—A birth that shows any sign of life after delivery.

**LOW BIRTH WEIGHT**—A live birth weighing less than 2500 grams (5-1/2 pounds).

**MEDICAID**—A federally and state-funded program to pay for medical and other services to eligible New Mexico citizens.

**NEONATAL DEATH**—Death of newborn under 28 days of age.

**NEONATAL MORTALITY RATE**—Number of neonatal deaths per 1,000 (or 100,000) live births.

**NEURAL TUBE DEFECTS**—Malformations of the spine and brain that arise in the first 29 days of pregnancy.

**OCCURRENCE DATA**—Data allocated by place where event occurred, regardless of the person's place of residence.

## GLOSSARY CONTINUED

**POPULATION ESTIMATE**—Estimate of the number of persons for either a past or current time period.

**POSTNEONATAL DEATH**—Death of an infant of at least 28 days, but less than one year of age.

**POSTNEONATAL MORTALITY RATE**—Number of postneonatal deaths per 1,000 or (100,000) live births.

**POVERTY**—Poverty status is based on the 1964 Social Security Administration definition (modified in 1969 and 1980). At the core of this definition was the 1961 Department of Agriculture economy food plan, which arose from findings of a 1955 Department of Agriculture survey of food consumption. The 1955 findings showed that families of three or more spent about 1/3 of their income on food. Poverty status/level is tied to the cost of the economy food plan that is revised annually for cost of living as reflected in the Consumer Price Index.

**PRENATAL CARE**—1) Level of Prenatal Care – categorization of prenatal care services into no/low, middle and high levels of care based on the number of visits and month care began (modified Kessner index). 2) Adequacy of Prenatal Care Utilization Index – an alternative measure of prenatal care utilization that adjusts for some of the weaknesses of the trimester care began and the Kessner index (Kotelchuck index).

**RESIDENCE DATA**—Data allocated by place of residence of the decedent (deaths) or by place of residence of the child's mother (births).

**SCHOOL ENROLLMENT**—The count of high school students on the current roll on the 40th official school day, by school district.

**SUBSTANTIATED**—Through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report have been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

**TEMPORARY ASSISTANCE FOR NEEDY FAMILIES (TANF)**—TANF is the State-administered, county-operated, monthly cash assistance program funded by a Federal block grant under Title IV-A of the Social Security Act. In July 1997, TANF replaced the previous entitlement program known as Aid to Families with Dependent Children (AFDC). The TANF program is not an entitlement program and has a 60-month term limit in New Mexico, which means that adults receiving assistance from the TANF block grant program can receive assistance for a 60 month maximum limit. TANF is available to both single and two-parent families. To receive TANF, there must be at least one dependent child (under age 18) in the home. TANF eligibility is based on a gross income test at 85% of the Federal Poverty Guideline for the size of the family. Eligibility is also based on a resource test; the family's liquid resources must be less than \$1500.00 and non liquid resources must be less than \$2000.00. Cash assistance is issued through an electronic benefit transfer system, similar to an ATM debit card. The TANF program has a mandatory change reporting and work requirement for adults and a mandatory school attendance requirement for dependent children. The adults in the family must cooperate with child support enforcement efforts on behalf of the dependent children. There are cash payment reductions for failure to comply with change reporting, work requirements, child support enforcement and school attendance.

**TOTAL PERSONAL INCOME (TPI)**—Includes the earnings (wages and salaries, other labor income, proprietors' income), dividends, interest, and rent, and transfer payments received by the residents of county. Data shown in thousands.

**UNEMPLOYED**—Based on monthly surveys, persons who did not work during a specified week but made specific efforts to find a job in the previous 4 weeks and were available for work. Also, persons who did not work, were available for work but were not actively seeking work because they (a) had been laid off and were waiting to be called back; or (b) were waiting to report to a job within 30 days. Does not include those no longer seeking work other than in situations (a) and (b).

**UNEMPLOYMENT RATE**—Number of persons unemployed as a percent of the civilian labor force.

**UNSUBSTANTIATED**—Investigation indicates that the investigator was unable to determine that the allegation(s) were true.

**VERY LOW BIRTH WEIGHT**—A live birth weighing less than 1500 grams (about 2 lbs. 5 oz.) at birth.

**W.I.C.**—Women, Infants and Children; a federally-funded, special supplemental nutrition program administered by the New Mexico Department of Health and tribal agencies. Its purpose is to provide high-nutrient density food to promote optimal health outcome during the perinatal period. Services include food assistance, nutrition education and referral to health services.