

**NEW MEXICO DEPARTMENT OF HEALTH**

**Statewide Standing Order for Naloxone**

Name: \_\_\_\_\_ DOB: \_\_\_\_\_ Date: \_\_\_\_\_

Address: \_\_\_\_\_

*Dispense one of the three following products based on product availability and preference.*

**Naloxone HCl Solution 1 mg/mL; 2 mL pre-filled Luer-Lok Syringe**

**Qty:** 2 x 2 mL syringes (4 mL total) with two nasal mucosal atomization devices.

**Sig:** Spray 1 mL (one-half of prefilled syringe) in each nostril. Repeat after 3 minutes if no response.

**Narcan® Nasal Spray (naloxone HCl) 4 mg/0.1 mL Nasal Spray**

**Qty:** 1 box containing two 4 mg/0.1 mL doses of naloxone

**Sig:** Administer a single spray of Narcan® Nasal Spray in one nostril. Open second dose and repeat after 3 minutes if no response.

**Evzio® (naloxone HCl) 2 mg auto-injector**

**Qty:** 1 box containing two auto-injectors

**Sig:** Follow audio instructions from device. Place on thigh and use one injection. Repeat with second injector after 3 minutes if no response.

**Refills:** PRN

**Prescriber:** Chris Novak, MD

**NPI:** 1508834110

Address: 1190 S St. Francis Dr. Ste. S-1057

Santa Fe, NM 87505

For questions please contact NMDOH Prescription Drug Overdose Prevention Program at 505.476.1440